

Harald A. Rehder (1907–1996): biographical sketch and malacological contributions

Michael J. Sweeney

M. G. Harasewych

Department of Invertebrate Zoology
National Museum of Natural History
Smithsonian Institution
Washington, DC 20560-0118 USA

Dr. Harald Alfred Rehder, Zoologist Emeritus at the National Museum of Natural History of the Smithsonian Institution, and a leading authority on the systematics and biogeography of the molluscan fauna of Polynesia, died on November 10, 1996, of cardiac arrest. An eminent scholar, he enjoyed a long and distinguished career, and was highly respected by the international malacological community, as well as by the many amateur naturalists interested in mollusks.

Harald Rehder was born on June 5, 1905, in Boston, Massachusetts, the son of a botanist and curator at Harvard University's Arnold Arboretum. He grew up in the Boston suburb of Jamaica Plain, where he attended Roxbury Latin School. With the encouragement of his father and of Charles W. Johnson of the Boston Society of Natural History, his interest in natural history gradually became focused on mollusks. After earning a Bachelor of Arts degree in Chemistry from Bowdoin College in 1929, he entered Harvard University as William J. Clench's first graduate student in Malacology.

Prior to completing his degree at Harvard, he obtained a position as a Senior Science Aide to Dr. Paul Bartsch in the Division of Mollusks at the National Museum of Natural History in 1932. Harald Rehder received his Master of Arts degree in Malacology from Harvard University in 1933, and his Ph. D. in Malacology from George Washington University (Washington, DC) in 1934. His dissertation, "A contribution to our knowledge of the genus *Succinea* in North America" was completed under the guidance of Dr. Bartsch. After receiving his doctoral degree, he became an Assistant Curator in the Division of Mollusks in 1934, an Associate Curator in 1942, and succeeded Paul Bartsch as Curator in 1946. Dr. Rehder was named Senior Zoologist in 1965, and held this position until his retirement in June 1976. He continued, as Zoologist Emeritus, to publish popular books and research papers on mollusks until his death.

Dr. Rehder devoted an extraordinary amount of time and effort throughout his career to the care and curation of the National Collection of Mollusks. During the Second World War, Dr. Rehder and Dr. J. P. E. Morrison, also of the Division of Mollusks, completed the daunting task of identifying, documenting, and segregating thousands of type specimens of mollusks in preparation for

removal from the general collections to the caverns in Luray, Virginia, for safekeeping. Upon their return to the National Museum after the war, these collections remained segregated as the type collection. Dr. Rehder oversaw the move of the collections from the central portion of the museum to the newly constructed research wing in the 1960s, and continued to curate countless new acquisitions well into his retirement.

Dr. Rehder began his career working primarily on the systematics of land and freshwater gastropods, but soon expanded his work to include marine faunas. He took part in expeditions to the Caribbean early in his career, but his major research interest, the study of the molluscan faunas of the Central and South Pacific, developed during his participation in the Smithsonian-Bredin Expedition to French Polynesia in 1957. He was a member of the Pacific Science Board's expeditions to the Marshall Islands in 1960, and led additional expeditions to the South Pacific in 1963, 1964, 1967, 1969, 1970, and 1973, supported by grants from the National Geographic Society, The National Science Foundation, and by private donors. Dr. Rehder conducted field work at more than fifty islands and atolls during his career. The National Collection was enriched by over thirteen thousand lots and nearly one hundred thousand specimens that were collected during these expeditions.

Dr. Rehder served as advisor to Helen L. Hayes, Joseph C. Britton, and George Radwin, who completed their doctoral degrees in malacology at George Washington University between 1968 and 1972.

Harald Rehder was the last surviving founding member of the American Malacological Union (now the American Malacological Society). He served as President of this organization in 1940–41, was elected as Honorary Life Member in 1978 and Honorary Life President in 1985.

Dr. Rehder was a Fellow of the American Association for the Advancement of Science and the California Academy of Science, and a member of numerous professional societies, among them the Washington Academy of Sciences, the Biological Society of Washington, the Malacological Society of London, the Paleontological Society, the Society for Systematic Zoology, the American Littoral Society, the International Society for Reef Studies, and the Senckenbergische Naturforschende Gesellschaft. He



Figure 1. Dr. Harald Rehder. June 1971.

served as Editor of the *Journal of the Washington Academy of Sciences* from 1944–1946, as co-editor of *Indo-Pacific Mollusca* from 1959–1973, and on the editorial board of numerous scholarly publications.

He also belonged to many shell clubs, including Boston Malacological Club, and the Hawaiian Malacological Society. A Charter member of the National Capital Shell Club, he was elected as its first president in November 1960.

In addition he was a member of the Cosmos Club, The International Club of Washington, DC, The Explorers Club of New York City, and served on the Administrative Board of the Foundry United Methodist Church and its Susanna Wesley House, and was very active in the Homeless Mission. He enjoyed membership in the "Fossils," an organization of distinguished retired men.

Two genera and 24 species of Mollusca, 1 species of Foraminifera and 1 species of Pycnogonida have thusfar been named in his honor.

His wife of 50 years, Lois Corea Rehder, died in 1988. He is survived by a daughter, Anne F. van Beek-Rehder, of Amsterdam, The Netherlands; a son, Alfred L. Rehder of Germantown, Maryland, and three grandchildren.

II. MOLLUSCAN TAXA OF HARALD A. REHDER

During his career Harald Rehder introduced 397 molluscan taxa, of which 58 were genus-level taxa (34 genera and 24 subgenera, 1 subgenus as a replacement name), and 339 were species-level taxa (320 as species, 19 as subspecies, 8 species as replacement names). These are



Figure 2. Dr. Rehder at the American Malacological Union meeting in Fort Lauderdale, Florida, July, 1981.

listed alphabetically, by category. Data for genus-level taxa include taxon, author(s), year of publication, journal and page number, type species, and family to which currently assigned. Data for species-level taxa include taxon (original combination), author(s), year of publication, journal, page number and illustrations, type material, type repository and catalog number, general type locality, and family.

Genus-level Taxa

Abarbatia Dall, Bartsch and Rehder, 1938, as a subgenus of *Barbatia* Gray, 1847. Bernice P. Bishop Museum Bulletin 153:29. Type species: *Barbatia (Abarbatia) oahuensis* Dall, Bartsch and Rehder, 1938, by original designation. Arcidae.

Achasmea Dall, Bartsch and Rehder, 1938, as a subgenus of *Lcioxachmea* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:147. Type species: *Solecardia thaanumi* (Pilsbry, 1921), by original designation. Galeommatidae.

Anguipecten Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:92. Type species: *Angui-*



Figure 3. Formal portrait of Dr. Rehder, circa 1994.

Cryptopecten gregoryi Dall, Bartsch and Rehder, 1938, by original designation. Pectinidae.

Autometula Rehder, 1943. Proceedings of the United States National Museum 93(3161):199. Type species *Buccinum metula* Hinds, 1844, by original designation. Buccinidae.

Barbarca Dall, Bartsch and Rehder, 1938, as a subgenus of *Calloarca* Gray, 1857. Bernice P. Bishop Museum Bulletin 153:23. Type species: *Calloarca (Barbarca) hua* Dall, Bartsch and Rehder, 1938, by original designation. Arcidae.

Bartschia Rehder, 1943. Proceedings of the United States National Museum 93(3161):199. Type species: *Bartschia significans* Rehder, 1943, by original designation. Buccinidae.

Cadella Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:196. Type species: *Tellina lechiogramma* Melville, 1893, by original designation. Tellinidae.

Cerodrillia Bartsch and Rehder, 1939. Proceedings of the United States National Museum 87(3070):127. Type species: *Cerodrillia clappi* Bartsch and Rehder, 1939, by original designation. Turridae.

Cornuteredo Dall, Bartsch and Rehder, 1938, as a subgenus of *Teredo* Linné, 1758. Bernice P. Bishop Museum Bulletin 153:209. Type species: *Teredo (Cornuteredo) milleri* Dall, Bartsch and Rehder, 1938, by original designation. Teredinidae. [see comments under *Teredo milleri*]

Crassispirella Bartsch and Rehder, 1939, as a subgenus of *Crassispira* Swainson, 1840. Proceedings of the United States National Museum 87(3070):135. Type species: *Crassispira (Crassispirella) rugiteeta* (Dall, 1918), by original designation. Turridae.

Cryptopecten Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:93. Type species: *Cryptopecten alli* Dall, Bartsch and Rehder, 1938, by original designation. Pectinidae.

Dallimnrex Rehder, 1946, as subgenus of *Paziella* Jousseaume, 1880. The Nautilus 59(4):142. Type species: *Murex nuttingi* Dall, 1896, by original designation. Muricidae.

Desmanlus Rehder, 1943, as a subgenus of *Bicatillus* Swainson, 1840. Proceedings of the Biological Society of Washington 56:45. Type species: *Calyptraca extinctorum* Lamarck, 1822, by original designation. Crepidulidae.

Diplopax Bartsch and Rehder, 1945, as a subgenus of *Martesia* Sowerby, 1824. Smithsonian Miscellaneous Collections 104(11):10. Type species: *Martesia (Diplopax) americana* Bartsch and Rehder, 1945, by original designation. Pholadidae.

Diplothrya Bartsch and Rehder, 1945, as a subgenus of *Martesia* Sowerby, 1824. Smithsonian Miscellaneous Collections 104(11):8. Type species: *Martesia (Diplothrya) smithii* (Tryon, 1862), by original designation. Pholadidae.

Dorisca Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:159. Type species: *Dorisca cooki* Dall, Bartsch and Rehder, 1938, by original designation. Veneridae.

Dysmea Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:173. Type species: *Solen occidens* Gmelin, 1791, by original designation. Psammonobiidae.

Egentilaria Rehder, 1980. Smithsonian Contributions to Zoology 289:93. Type species: *Terebra stylata* Hinds, 1844, by original designation. Terebridae.

Glypticithema Rehder, 1943. Proceedings of the United States National Museum 93(3161):196. Type species: *Natica idiopona* Pilsbry and Lowe, 1932, by original designation. Naticidae.

Halopsephus Rehder, 1943. Proceedings of the United States National Museum 93(3161):191. Type species: *Halopsephus pulcher* Rehder, 1943, by original designation. Turbinidae.

Haumea Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:86. Type species: *Haumea juddi* Dall, Bartsch and Rehder, 1938, by original designation. Pectinidae.

Hawaiarca Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:27. Type species: *Hawaiarca rectangula* Dall, Bartsch and Rehder, 1938, by original designation. Arcidae.

Hitia Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:135. Type species: *Hitia ovalis* Dall, Bartsch and Rehder, 1938, by original designation. Sportellidae.

Kaneoha Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:142. Type species: *Kaneoha rosea* Dall, Bartsch and Rehder, 1938, by monotypy. Kelliidae.

Kona Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:148. Type species: *Kona bucki* Dall, Bartsch and Rehder, 1938, by original designation. Montacutidae.

Kurodina Rehder, 1969, as subgenus of *Musashia* Hayashi, 1960. Venus, The Japanese Journal of Malacology 27(4):128. Type species: *Musashia (Kurodina) smithi* (Sowerby, 1901), by original designation. Volutidae.

Leiochasma Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:146. Type species: *Leiochasma chascanum* (Pilsbry, 1921), by original designation. Galeommatidae.

Lissodrillia Bartsch and Rehder, 1939, as a subgenus of *Cerodrillia* Bartsch and Rehder, 1939. Proceedings of the United States National Museum 87(3070):129. Type species: *Cerodrillia (Lissodrillia) schroederi* Bartsch and Rehder, 1939, by original designation. Turridae.

Lonoa Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:178. Type species: *Lonoa hawaiiensis* Dall, Bartsch and Rehder, 1938, by original designation. Semelidae.

Loxoglypta Dall, Bartsch and Rehder, 1938, as a subgenus of *Jactellina* Iredale, 1929. Bernice P. Bishop Museum Bulletin 153:192. Type species: *Tellina obliquilineata* Conrad, 1837, by original designation. Tellinidae.

Luetzenia Rehder, 1980. Smithsonian Contributions to Zoology 289:57. Type species: *Luetzenia goodingi* Rehder, 1980, by original designation. Eulimidae.

Microdochus Rehder, 1943. Proceedings of the United States National Museum 93(3161):193. Type species: *Microdochus floridanus* Rehder, 1943, by original designation. Elachistinidae.

Mirapecten Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:84. Type species: *Mirapecten thaanumi* Dall, Bartsch and Rehder, 1938, by original designation. Pectinidae.

Monilispira Bartsch and Rehder, 1939. Proceedings of

the United States National Museum 87(3070):137. Type species: *Monilispira monilifera* (Carpenter, 1857), by original designation. Turridae.

Nanopitar Rehder, 1943, as a subgenus of *Pitar* Römer, 1857. Proceedings of the United States National Museum 93(3161):188. Type species: *Pitar (Nanopitar) pilula* Rehder, 1943, by original designation. Veneridae.

Nenisca Rehder, 1939, as a subgenus of *Nenia* H. & A. Adams, 1855. Journal of the Washington Academy of Sciences 29(4):171. Type species: *Nenia (Nenisca) bartschii* Rehder, 1939, by original designation. Clausiliidae.

Nesobornia Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:136. Type species: *Solecardia ovata* (Gould, 1850), by original designation. Kelidae.

Nodochila Rehder, 1980. Smithsonian Contributions to Zoology 289:79. Type species: *Zafra pascua* Hertlein, 1962, by original designation. Columbellidae.

Paranenia Rehder, 1939, as a subgenus of *Nenia* H. & A. Adams, 1855. Journal of the Washington Academy of Sciences 29(4):173. Type species: *Nenia perarata* (von Martens, 1873), by original designation. Clausiliidae.

Particoma Bartsch and Rehder, 1945, as a subgenus of *Martesia* Sowerby, 1824. Smithsonian Miscellaneous Collections 104(11):5. Type species: *Martesia (Particoma) cuneiformis* (Say, 1822), by original designation. Pholadidae.

Paurodiscus Rehder, 1935, as a subgenus of *Pseudomalaxis* Fischer, 1885. The Nautilus 48(4):128. Type species: *Pseudomalaxis (Paurodiscus) lamellifera* Rehder, 1935, by monotypy. Architectonicidae.

Pectinistemna Rehder, 1940, as a subgenus of *Propilsbrya* Bartsch, 1906. Journal of the Washington Academy of Sciences 30(7):315. Type species: *Propilsbrya (Pectinistemna) kocstneri* Rehder, 1940, by original designation. Urocoptidae.

Phlycticoncha Bartsch and Rehder, 1940, as a subgenus of *Lyonsia* Turton, 1822. The Nautilus 53(4):137. Replacement name for *Phlyctiderma* Bartsch and Rehder, 1939, preoccupied by *Phlyctiderma* Dall, 1899. Lyonsiidae.

Phlyctiderma Bartsch and Rehder, 1939, as a subgenus of *Lyonsia* Turton, 1822. Smithsonian Miscellaneous Collections 98(10):12. Type species: *Lyonsia (Phlyctiderma) lucasana* Bartsch and Rehder, 1939, by original designation. Lyonsiidae. [see above].

Phycodrosus Rehder, 1943, as a subgenus of *Rissoella* Gray, 1847. Proceedings of the United States National Museum 93(3161):194. Type species: *Rissoella (Phycodrosus) caribaea* Rehder, 1943, by original designation. Rissoellidae.

Pitarenus Rehder and Abbott, 1951, as a subgenus of *Pitar* Römer, 1857. Revista de la Sociedad Malacologica

"Carlos de la Torre" 8(2):57. Type species: *Pitaria corodata* Schwengel, 1951, by original designation. Veneridae.

Policordia Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:217. Type species: *Policordia diomedea* Dall, Bartsch and Rehder, 1938, by original designation. Verticordiidae.

Privigna Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:160. Type species: *Privigna pilsbryi* Dall, Bartsch and Rehder, 1938, by original designation. Veneridae.

Psarostola Rehder, 1943. Proceedings of the United States National Museum 93(3161):198. Type species: *Columbella monilifera* Sowerby, 1844, by original designation. Columbellidae.

Radobornia Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:140. Type species: *Radobornia araia* Dall, Bartsch and Rehder, 1938, by original designation. Kelliidae.

Rubellatoma Bartsch and Rehder, 1939. Proceedings of the United States National Museum 87(3070):130. Type species: *Rubellatoma rubella* (Kurtz and Stimpson, 1851), by original designation. Turridae.

Sigaluta Rehder, 1967. Pacific Science, 21(2):182. Type species: *Sigaluta pratensis* Rehder, 1967, by original designation. Marginellidae. [junior synonym of *Marginellona* Martens, 1904, see Harasewych and Kantor, 1991]

Siphovasum Rehder and Abbott, 1951, as a subgenus of *Vasum* Röding, 1798. Revista de la Sociedad Malacologica "Carlos de la Torre" 8(2):61. Type species: *Vasum latiriforme* Rehder and Abbott, 1951, by original designation. Turbinellidae.

Stellatoma Bartsch and Rehder, 1939. Proceedings of the United States National Museum 87(3070):132. Type species: *Stellatoma stellata* (Stearns, 1872), by original designation. Turridae.

Stenolena Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:60. Type species: *Stenolena hawaiiensis* Dall, Bartsch and Rehder, 1938, by original designation. Mytilidae.

Terua Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:57. Type species: *Terua pacifica* Dall, Bartsch and Rehder, 1938, by original designation. Mytilidae.

Uroteuthis Rehder, 1945. Proceedings of the Biological Society of Washington 58:21. Type species: *Uroteuthis bartschi* Rehder, 1945, by original designation. Loliginidae.

Volutipysma Rehder, 1969, as subgenus of *Fulgoraria* Schumacher, 1817. Venus, The Japanese Journal of Malacology 27(4):130. Type species: *Fulgoraria (Volutipysma*

ma) humerosa Rehder, 1969, by original designation. Volitidae.

Species-level taxa

Holotypes are deposited in the following institutions: **ANSP**, The Academy of Natural Sciences, Philadelphia, Pennsylvania, USA; **CAS**, California Academy of Natural Sciences, San Francisco, California, USA; **DMNH**, Delaware Museum of Natural History, Wilmington, Delaware, USA; **MCZ**, Museum of Comparative Zoology at Harvard University, Cambridge, Massachusetts, USA; **MNSH**, Museo Nacional de Historia Natural, Sección Hidrobiología, Santiago, Chile; **NM**, Natal Museum, Pietermaritzburg, South Africa; **NSMT**, National Science Museum, Tokyo, Japan; **SAM**, South African Museum, Cape Town, South Africa; **USNM**, National Museum of Natural History, Smithsonian Institution, Washington, DC, USA; and **WAM**, Western Australian Museum, Perth, Australia.

abyssicola, *Calliotropis (Solaricida)* Rehder and Ladd, 1973. Science Reports of the Tohoku University (ser. 2, Geology), Special volume 6:44, pl. 3, figs. 13–15. Holotype USNM 703266, Hess Guyot, central Pacific Ocean. Trochidae.

actinium, *Cerithidium* Rehder, 1980. Smithsonian Contributions to Zoology 289:33, pl. 5, figs. 17–18. Holotype USNM 339456, off Waikiki, Oahu, Hawaii. Diastomatidae.

acquicostata, *Peronaeus* Rehder, 1945. Revista Chilena de Historia Natural, 48(1944):5. Replacement name for *Bulinus (Peronaeus) scalaroides* Philippi in Pfeiffer, 1867, preoccupied by *Bulinus scalaroides* Reeve, 1849. Orthalicidae.

akuana, *Planaxis (Hinea)* Rehder, 1980. Smithsonian Contributions to Zoology 289:50, pl. 7, fig. 5. Holotype USNM 756793, Hanga Omiti, Easter Island. Planaxidae.

alarconi, *Euchelus (Herpetopoma)* Rehder, 1980. Smithsonian Contributions to Zoology 289:19, pl. 4, fig. 8. Holotype USNM 756195, Onetea, Hotuiti, Easter Island. Trochidae.

albata, *Leptarionta venusta* Rehder, 1942. Journal of the Washington Academy of Sciences 32(11):352, figs. 7–9. Holotype USNM 536030, Chiriquí Province, Panama. Helminthoglyptidae.

albomaculatus, *Nassarius (Tclasco)* Rehder, 1980. Smithsonian Contributions to Zoology 289:82, pl. 10, figs. 4–5. Holotype USNM 751615, Te Raa Raa, Easter Island. Nassariidae.

alia, *Hawaiarca* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:28, pl. 3, figs. 7–10. Holotype USNM 173221, northeast coast of Hawaii. Arcidae.

alli, *Cryptopecten* Dall, Bartsch and Rehder, 1938.

Bernice P. Bishop Museum Bulletin 153:93, pl. 23, figs. 1–4, 7. Holotype USNM 173194, off south coast of Oahu, Hawaii. Pectinidae.

allisoni, *Pleurotomella* Rehder and Ladd, 1973. Science Reports of the Tohoku University (ser. 2, Geology), Special volume 6:46, pl. 3, figs. 7–8. Holotype USNM 703269, Agassiz Guyot, central Pacific Ocean. Turridae.

ambatensis, *Naeiotus quitensis* Rehder, 1940. The Nautilus 53(4):117, pl. 13, figs. 12, 14. Holotype USNM 473973, Ambato, Prov. del Tunguragua, Ecuador. Orthalicidae.

ambla, *Ervilia (Spondervilia)* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:171, pl. 44, figs. 5–8. Holotype USNM 484195, Hilo, Hawaii. Mesodesmatidae.

americana, *Martesia (Diploplax)* Bartsch and Rehder, 1945. Smithsonian Miscellaneous Collections 104(11): 13, pl. 2 figs. 1–2, pl. 3, figs. 3–4. Holotype USNM 573550, Fort Dade, Florida. Pholadidae.

amydroglyptum, *Caecum* Rehder, 1980. Smithsonian Contributions to Zoology 289:32, pl. 5, fig. 12. Holotype USNM 757977, Onetea, Hotuiti, Easter Island. Caecidae.

angulata, *Anisodonta* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:125, pl. 34, figs. 5–6. Holotype USNM 427774, near Koko Head, Maunalua Bay, Oahu, Hawaii. Sportellidae.

antisana, *Naeiotus quitensis* Rehder, 1942. The Nautilus 55(3):103. Holotype USNM 516940, Mt. Antisana, Province of Pichincha, Ecuador. Orthalicidae.

aporema, *Triphora* Rehder, 1980. Smithsonian Contributions to Zoology 289:43, pl. 6, fig. 13. Holotype ANSP 321077, Easter Island. Triphoridae.

aquilum, *Cerithiopsis* Rehder, 1980. Smithsonian Contributions to Zoology 289:40, pl. 6, fig. 9. Holotype MNSH 200388, Easter Island. Cerithiopsidae.

araia, *Radobornia* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:140, text-fig. 17, pl. 37, figs. 5–8. Holotype USNM 484183, Keokea, Hilo, Hawaii. Kelliidae.

arcella, *Cirsotrema (Cirsotremopsis)* Rehder, 1945. Proceedings of the Biological Society of Washington 58:128. Holotype USNM 83725, southwest of Cape Hatteras, North Carolina. Epitonidae.

aresta, *Pusiolina* Rehder, 1943. Proceedings of the United States National Museum 93(3161):201, pl. 20, fig. 1. Holotype USNM 517056, Santa Rosa, Pinar del Rio, Cuba. Costellariidae.

argoblysis, *Bulla (Leucophysema)* Rehder and Ladd, 1973. Science Reports of the Tohoku University (ser. 2, Geology), Special volume 6:47, pl. 3, figs. 5–6. Holotype USNM 703272, Horizon Guyot, Mid-Pacific Mountains, central Pacific Ocean. Bullidae.

atlantica, *Cooperella* Rehder, 1943. Proceedings of the United States National Museum 93(3161):187, pl. 19, figs. 3–4. Holotype USNM 517058, off Peanut Island, northern Lake Worth, Florida. Cooperellidae.

auaua, *Lima* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:106, pl. 27, figs. 5–8. Holotype USNM 335607, Auau Channel, Hawaii. Limidae.

aureofasciatus, *Conus spurius* Rehder and Abbott, 1951. Revista de la Sociedad Malacologica "Carlos de la Torre" 8(2):64, pl. 9, figs. 3–4. Holotype USNM 597521, off Dry Tortugas, Florida. Conidae.

austini, *Conus* Rehder and Abbott, 1951. Journal of the Washington Academy of Sciences 41(1):22, fig. 7. Holotype USNM 603017, southeast of Loggerhead Key, Dry Tortugas, Florida. Conidae.

aviarius, *Musculus* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:53, pl. 10, figs. 1–4. Holotype USNM 173231, near Moku Manu, Hawaii. Mytilidae.

bahamensis, *Martesia (Diolopax)* Bartsch and Rehder, 1945. Smithsonian Miscellaneous Collections 104(11): 11, pl. 3, figs. 15–16. Holotype USNM 573549, eastern end of South Bight, Andros Island, Bahamas. Pholadiidae.

bahamondei, *Hemiliostraca* Rehder, 1980. Smithsonian Contributions to Zoology 289:55, pl. 7, fig. 13. Holotype USNM 766572, Easter Island. Eulimidae.

bahamondei, *Zcidora* Rehder, 1980. Smithsonian Contributions to Zoology 289:17, pl. 4, figs. 4–5. Holotype MNSH 200403, Vaihu, Easter Island. Fissurellidae.

baileyi, *Nitidella guttata* Bartsch and Rehder, 1939. Smithsonian Miscellaneous Collections 98(10):6, pl. 2, fig. 6. Holotype USNM 472857, Elizabeth Bay, Albemarle Island, Galapagos Islands. Columbellidae.

bakeri, *Botulina* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:55, pl. 11, figs. 7–8. Holotype USNM 484182 [incorrectly published as 484183], Hilo, Hawaii. Mytilidae.

baldwini, *Solecurtus* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:176, pl. 45, figs. 9–10. Holotype USNM 335618, off south coast of Molokai, Hawaii. Psammobiidae.

balesi, *Asthenothaerus* Rehder, 1943. Proceedings of the United States National Museum 93(3161):189, pl. 19, figs. 13–14. Holotype USNM 536052, Missouri Key, Florida. Thracidae.

barkeri, *Tegula (Chlorostoma)* Bartsch and Rehder, 1939. Smithsonian Miscellaneous Collections 98(10):11, pl. 2, figs. 10–12. Holotype USNM 472589, Elizabeth Bay, Albemarle Island, Galapagos Islands. Trochidae.

barnardi, *Fusivoluta* Rehder, 1969. The Veliger 11(3): 207, pl. 40, fig. 9, pl. 43, figs. 40–43. Holotype DNMH 10751, off Natal coast. Volutidae.

bartschi, *Nenia (Nenisea)* Rehder, 1939. Journal of the Washington Academy of Sciences 29(4):171, figs. 1–5. Holotype USNM 380074, Mt. Rochelle (or Rochelois), south of Rochelois, Haiti. Clausiliidae.

bartschi, *Oocorys* Rehder, 1943. Proceedings of the United States National Museum 93(3161):197, pl. 20, fig. 16. Holotype USNM 535689, south of Tortugas, Florida. Cassidae.

bartschi, *Turbanilla (Careliopsis)* Aguayo and Redher, 1936. Memorias de la Sociedad Cubana de Historia Natural 9(4):267, pl. 24, fig. 7. Holotype USNM 420975, La Chorrera, Habana, Cuba. Pyramidellidae.

bartschi, *Urotcuthis* Rehder, 1945. Proceedings of the Biological Society of Washington 58:22, pl. 3, figs. 1–2. Holotype USNM 573515, Jolo Harbor, Jolo, Philippine Islands. Lolinidae.

bayeri, *Natica (Glyphepithema)* Rehder, 1986. The Nautilus 100(1):38. Replacement name for *Glyphepithema floridana* Rehder, 1943, preoccupied by *Natica (Cryptonatica) floridana* Dall, 1892. Naticidae. [see *tcdbayeri*, *Natica* Rehder, 1986]

bermudezi, *Rissoina (Folinia)* Aguayo and Redher, 1936. Memorias de la Sociedad Cubana de Historia Natural 9(4):265, text-fig. 1, pl. 24, fig. 5. Holotype USNM 436307, Tortugas, Florida. Rissoidae.

blakci, *Vitrinella* Rehder, 1944. The Nautilus 57(3):97, pl. 9, figs. 1–2. Holotype USNM 537834, Talbot formation (Pleistocene) at Wailes Bluff (near Cornfield Harbor), St. Mary's County, Maryland. Vitrinellidae.

boswellae, *Volutocoris* Rehder, 1969. The Veliger 11(3):202, pl. 40, fig. 5, pl. 41, figs. 16–19. Holotype USNM 683585, off Mosselbaai (Mossel Bay), South Africa. Volutidae.

bountyi, *Fusinus galathac* Rehder and Wilson, 1975. Smithsonian Contributions to Zoology 203:10, text-figs. 6–8. Holotype USNM 707230, off NW coast of Pitcairn Island. Fasciolariidae.

bourgcoisac, *Drymacus* Rehder, 1943. The Nautilus 57(1):28, pl. 6, fig. 10. Holotype USNM 517550, near Paraje Nuevo (near Córdoba), Vera Cruz, Mexico. Orthalicidae.

branhamae, *Fasciolaria distans* Rehder and Abbott, 1951. Revista de la Sociedad Malacologica "Carlos de la Torre" 8(2):59, pl. 8, figs. 4–5. Holotype USNM 597513, off Puerto Alvaro Obregon, Tabasco, Mexico. Fasciolariidae.

brunneescens, *Fenimorea moseri* Rehder, 1943. Proceedings of the United States National Museum 93(3161):202, pl. 20, fig. 5. Holotype USNM 517055, off Fort Walton, Okaloosa County, Florida. Turridae.

bucki, *Kona* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:149, text-fig. 25, pl. 39,

figs. 13–16. Holotype USNM 333067, near Koko Head, Oahu, Hawaii. Montacutidae.

candens, *Acteon* Rehder, 1939. The Nautilus 53(1):21, pl. 6, fig. 7. Holotype USNM 493407, off Fowey Light, Florida. Acteonidae.

caribaca, *Rissoella (Phycodrosus)* Rehder, 1943. Proceedings of the United States National Museum 93(3161):194, pl. 20, fig. 7. Holotype USNM 536046, Bonefish Key, Florida. Rissoellidae.

carribaca, *Tritonalia (Ocenebrina)* Bartsch and Rehder, 1939. Smithsonian Miscellaneous Collections 98(10):7, pl. 1, fig. 1. Holotype USNM 472617, Old Province Island, Colombia [Caribbean]. Muricidae.

carnkopicta, *Phenacovolva* Rehder and Wilson, 1975. Smithsonian Contributions to Zoology 203:6, frontispiece figs. 6, 9, 12. Holotype USNM 707232, Haava Strait, Marquesas Islands. Ovulidae.

cayoscense, *Caecum (Caecum)* Rehder, 1943. Proceedings of the United States National Museum 93(3161):190, pl. 20, fig. 9. Holotype USNM 536045, Bonefish Key, Florida Keys. Caecidae.

cedrosensis, *Aplysia* Bartsch and Rehder, 1939. Smithsonian Miscellaneous Collections 98(10):2, pl. 4, figs. 8–10, pl. 5. Holotype USNM 472859, east side of Cedros Island, Lower California, Mexico. Aplysiidae.

cernohorskyi, *Ziba* Rehder and Wilson, 1975. Smithsonian Contributions to Zoology 203:13, text-fig. 9, frontispiece fig. 13. Holotype USNM 707239, off NW corner of Pitcairn Island. Mitridae.

chilena, *Calliostoma* Rehder, 1971. Proceedings of the Biological Society of Washington 83(51):590, figs. 2, 5. Holotype USNM 701669, NW of Valparaiso, Chile. Trochidae.

clappi, *Cerodrillia (Cerodrillia)* Bartsch and Rehder, 1939. Proceedings of the United States National Museum 87(3070):128, pl. 17, fig. 4. Holotype USNM 493408, Hawk Channel, Florida. Turridae.

clarkei, *Fusivoluta* Rehder, 1969. The Veliger 11(3):206, pl. 40, fig. 8, pl. 43, figs. 37–39. Holotype DNMH 12833, off Joao Belo, District Gaza, Mozambique. Volutidae.

clarki, *Conus* Rehder and Abbott, 1951. Journal of the Washington Academy of Sciences 41(1):22, figs. 1–6. Holotype USNM 485740, southwest of Marsh Island, Iberia County, Louisiana. Conidae.

clenchi, *Polygyra* Rehder, 1932. The Nautilus 45(4):129, pl. 10, figs. 1–3. Holotype MCZ 81347, Izard County Arkansas. Polygyridae.

clippertonensis, *Ctena* Bartsch and Rehder, 1939. Smithsonian Miscellaneous Collections 98(10):13, pl. 3, figs. 1–5. Holotype USNM 472552, Clipperton Island, East Pacific Ocean. Lucinidae.

codoccoae, *Heliaetus* Rehder, 1980. Smithsonian Contrib-

butions to Zoology 289:32, pl. 5, figs. 13–15. Holotype ANSP 321078, Easter Island. Architectonicidae.

consobrinella, *Zafrona* Rehder, 1980. Smithsonian Contributions to Zoology 289:76, pl. 9, figs. 12–13. Holotype USNM 756156, Haka Ea, Vaihu, Easter Island. Columbellidae.

cookei, *Chlamys* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:90, pl. 24, figs. 1–4. Holotype USNM 484166, off entrance to Honolulu Harbor, Oahu, Hawaii. Pectinidae.

cookei, *Dorisca* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:160, pl. 42, figs. 5–8. Holotype USNM 484190, Pearl Harbor, Oahu, Hawaii. Veneridae.

costaricana, *Systrophia* (*Systrophiella*) Rehder, 1942. Journal of the Washington Academy of Sciences 32(11):352, figs. 13–15. Holotype USNM 536023, Coto, on the Golfo Dulce, Puntarenas Province, Costa Rica. Systrophiidae.

costaricensis, *Thysanophora* Rehder, 1942. Journal of the Washington Academy of Sciences 32(11):352, figs. 1–3. Holotype USNM 536009, La Caja, near San Jose, San Jose Province, Costa Rica. Thysanophoridae.

crassula, *Kermia* Rehder, 1980. Smithsonian Contributions to Zoology 289:89, pl. 11, fig. 2. Holotype MNSH 200397, Vaihu, Easter Island. Turridae.

crassula, *Merelina* (*Mereliniopsis*) Rehder, 1980. Smithsonian Contributions to Zoology 289:30, pl. 5, fig. 9. Holotype USNM 767026, Onetea, Hotuiti, Easter Island. Rissoidae.

cruda, *Arcinella* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:118, pl. 33, figs. 9–10. Holotype USNM 335601, off south coast of Molokai, Hawaii. Chamidae.

crypto, *Terua* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:58, pl. 11, figs. 5–6. Holotype USNM 333333, off Oahu, Hawaii. Mytilidae.

cubanum, *Vexillum* Aguayo and Redher, 1936. Memorias de la Sociedad Cubana de Historia Natural 9(4):267, pl. 24, fig. 4. Holotype USNM 420978, type locality not published. [Holotype from La Chorrera, Habana, Cuba]. Costellariidae.

dalli, *Cirsotrema* (*Cirsotremopsis*) Rehder, 1945. Proceedings of the Biological Society of Washington 58:128. Holotype USNM 515240, off Cape San Blas, Florida, Gulf of Mexico. Epitonidae.

dichrous, *Semelangulus* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:180, pl. 46, figs. 1–4. Holotype USNM 362356, Midway Island. Tellinidae.

diodorus, *Semelangulus* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:181, pl. 46, figs.

9–12. Holotype USNM 484201, off Launiupoko, Maui, Hawaii. Tellinidae.

diomedea, *Glycymeris* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:38, pl. 6, figs. 3–4. Holotype USNM 172987, off south coast of Molokai, Hawaii. Glycymerididae.

diomedea, *Policordia* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:217, pl. 56, figs. 5–8. Holotype USNM 335685, Pailolo Channel, Hawaii. Verticordiidae.

diomedea, *Rubellatoma* Bartsch and Rehder, 1939. Proceedings of the United States National Museum 87(3070):131, pl. 17, fig. 3. Holotype USNM 508645, Sanibel Island, Florida. Turridae.

diomedea, *Propeamussium* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:83, pl. 20, figs. 3–4, pl. 21, figs. 1–4. Holotype USNM 190442, Pailolo Channel, Hawaii. Propeamussiidae.

diomedens, *Pecten* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:96, pl. 24, figs. 7–8. Holotype USNM 335570 [incorrectly published as 355570], off south coast of Molokai, Hawaii. Pectinidae.

dispar, *Cuspidaria* (*Myonera*) Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:225, pl. 58, figs. 5–7. Holotype USNM 110752, off south coast of Molokai, Hawaii. Cuspidariidae.

disparilis, *Volutocoris* Rehder, 1969. The Veliger 11(3):203, pl. 40, fig. 4, pl. 41, figs. 20–22. Holotype SAM A3335, 125 miles off Saint Sebastian Bay (36°40'S, 21°26'E), South Africa. Volutidae.

earlyi, *Engina* Bartsch and Rehder, 1939. Smithsonian Miscellaneous Collections 98(10):6, pl. 1, fig. 8. Holotype USNM 472566, Sulivan Bay, James Island, Galapagos Islands. Buccinidae.

edmondsoni, *Periglypta* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:162, pl. 43, figs. 1–4. Holotype USNM 484193, Hilo, Hawaii. Veneridae.

englerti, *Rissoina* (*Rissolina*) *turricula* Rehder, 1980. Smithsonian Contributions to Zoology 289:26, pl. 5, fig. 6. Holotype USNM 755993, Hanga Papara, Easter Island. Rissoidae.

epiphanea, *Pusia* Rehder, 1943. Proceedings of the United States National Museum 93(3161):201, pl. 20, fig. 14. Holotype USNM 414278, off Tortugas, Florida. Costellariidae.

esperanzae, *Stomatella* Rehder, 1980. Smithsonian Contributions to Zoology 289:20, pl. 4, figs. 9–11. Holotype USNM 756113, Haka Ea, Vaihu, Easter Island. Stomatellidae.

eucharis, *Triphora* Rehder, 1980. Smithsonian Contributions to Zoology 289:46, pl. 6, fig. 16. Holotype ANSP 339946, Easter Island. Triphoridae.

eugrammatus, *Conus* Bartsch and Rehder, 1943. Proceedings of the Biological Society of Washington 56:85. Holotype USNM 173213, off north coast of Molokai Island (near Mokapu Islet), Hawaii. Conidae.

exilirata, *Lienardia* Rehder, 1980. Smithsonian Contributions to Zoology 289:86, pl. 11, figs. 7–9. Holotype USNM 758393, Haka Ea, Vaihu, Easter Island. Turridae.

exomilisca, *Triphora* Rehder, 1980. Smithsonian Contributions to Zoology 289:45, pl. 6, fig. 15. Holotype USNM 756779, Onetea, Hotuiti, Easter Island. Triphoridae.

exquisita, *Martesia* (*Diploplax*) Bartsch and Rehder, 1945. Smithsonian Miscellaneous Collections 104(11):10, pl. 3, figs. 17–18. Holotype USNM 573548, Stony Cove, St. Mary's Parish, Jamaica. Pholadidae.

exquisita, *Piuna* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:75, pl. 17, figs. 1–2. Holotype USNM 335610, near Laysan Island, Hawaii. Pinidae.

fasciola, *Lithophaga* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:57, pl. 11, figs. 1–4. Holotype USNM 337458, off Launiupoko Camp, Maui, Hawaii. Mytilidae.

filosa, *Pyrgocythara* Rehder, 1943. Proceedings of the United States National Museum 93(3161):203, pl. 20, fig. 2. Holotype USNM 27637, Marco, Florida. Arcidae.

fimbriata, *Hipponix* Bartsch and Rehder, 1939. Smithsonian Miscellaneous Collections 98(10):10, pl. 2, figs. 7–9. Holotype USNM 472853, Clipperton Island, East Pacific Ocean. Hipponicidae.

floridana, *Anachis* Rehder, 1939. The Nautilus 53(1):20, pl. 6, fig. 6. Holotype USNM 473202, near Cape Canaveral, Brevard County, Florida. Columbellidae.

floridana, *Glyphepithema* Rehder, 1943. Proceedings of the United States National Museum 93(3161):196, pl. 19, figs. 19–21. Holotype USNM 517060, Peanut Island, Lake Worth, Florida. Naticidae. [see *bayeri*, *Natica* Rehder, 1986]

floridana, *Tivela* Rehder, 1939. The Nautilus 53(1):18, pl. 6, figs. 2–3. Holotype USNM 473118, Jensen Beach (near Miami), Florida. Veneridae.

floridanus, *Microdochus* Rehder, 1943. Proceedings of the United States National Museum 93(3161):193, pl. 20, fig. 6. Holotype USNM 536048, Bonefish Key, Florida. Type locality corrected (The Nautilus 57(1):32) to Missouri Key. Elachisnidae.

fretensis, *Gemma* Rehder, 1939. The Nautilus 53(1):18, pl. 6, figs. 8–9. Holotype USNM 508650, Long Island Sound, New York. Veneridae.

funisicola, *Martesia* (*Diploplax*) Bartsch and Rehder, 1945. Smithsonian Miscellaneous Collections 104(11):14, pl. 3, figs. 1–2, 13–14. Holotype USNM 573551, Lake Worth, Florida. Pholadidae.

fuscobasis, *Clathurella* Rehder, 1980. Smithsonian Contributions to Zoology 289:87, text-fig. 11, pl. 11, figs. 3–4. Holotype USNM 756265, Onetea, Hotuiti, Easter Island. Turridae.

gayi, *Peronacns* Rehder, 1945. Revista Chilean de Historia Natural, 48(1944):4. Holotype USNM 537831, Antofagasta, Chile. Orthalicidae.

gloriosus, *Spondylus* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:102, pl. 26, figs. 8–11. Holotype USNM 190435, off Penguin Bank, south coast of Oahu, Hawaii. Spondylidae.

goodingi, *Luctzenia* Rehder, 1980. Smithsonian Contributions to Zoology 289:58, pl. 7, fig. 16. Syntypes (79) USNM, ZMC, AMS, MNSH, Easter Island. Eulimidae.

goodwini, *Harpa* Rehder, 1993. The Nautilus 106(4):127, figs. 1–2. Holotype USNM 860312, French Frigate Shoals, Hawaii. Harpidae.

gonaldi, *Halicardia* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:218, pl. 56, figs. 1–4. Holotype USNM 335682, off Hawaii. Verticordiidae.

gracilior, *Benthovoluta* Rehder, 1967. Pacific Science, 21(2):185, figs. 5–6. Holotype USNM 637252, off Cagayan Islands, northern Sulu Sea, Philippines. Turbinellidae.

gregoryi, *Anguipecten* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:93, pl. 23, figs. 5–6, 8. Holotype USNM 173227, near Kauai, Hawaii. Pectinidae.

gregoryi, *Teredo* (*Teredora*) Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:212, pl. 55, figs. 1–5. Holotype USNM 337316, Keaukaha, Hilo, Hawaii. Teredinidae. [junior synonym of *Teredora princesa* (Sivickis, 1928), see Turner, 1966:103]

halitropus, *Conus* Bartsch and Rehder, 1943. Proceedings of the Biological Society of Washington 56:88. Holotype USNM 338579, at dredger dump at Hololulu, Oahu, Hawaii. Conidae.

hammatns, *Conus* Bartsch and Rehder, 1943. Proceedings of the Biological Society of Washington 56:86. Holotype USNM 173225, near Kauai Island, Hawaii. Conidae.

hataii, *Calliotropis* (*Solaricida*) Rehder and Ladd, 1973. Science Reports of the Tohoku University (ser. 2, Geology), Special volume 6:43, pl. 3, figs. 16–18. Holotype USNM 703263, Hess Guyot, central Pacific Ocean. Trochidae.

haustrellum, *Succinca* Rehder, 1942. Journal of the Washington Academy of Sciences 32(11):350, fig. 19. Holotype USNM 536013, Pedernal, Guanacaste Province, Costa Rica. Succineidae.

hawaii, *Barbatia* (*Abarbatia*) Dall, Bartsch and Rehder,

1938. Bernice P. Bishop Museum Bulletin 153:32, pl. 4, figs. 1–4. Holotype USNM 484154 [incorrectly published as 485154], Keaukaha, Hilo, Hawaii. Arcidae.

hawaiana, *Lithophaga* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:56, pl. 11, figs. 9–10. Holotype USNM 337459, entrance of Honolulu Harbor, Oahu, Hawaii. Mytilidae.

hawaiana, *Lima* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:105, pl. 28, figs. 5–6. Holotype USNM 173202, off south coast of Molokai, Hawaii. Limidae.

hawaiana, *Meiocardia* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:121, pl. 34, figs. 17–18. Holotype USNM 173048, near Kauai, Hawaii. Cardiidae.

hawaiensis, *Acar* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:14, text-fig. 3, pl. 1, figs. 5–8. Holotype USNM 427766, Keaukaha, Hilo, Hawaii. Arcidae.

hawaiensis, *Angulus* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:198, pl. 50, figs. 9–12. Holotype USNM 484200, entrance to Honolulu Harbor, Oahu, Hawaii. Tellinidae.

hawaiensis, *Arcinella* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:118, pl. 33, figs. 11–14. Holotype USNM 335602, off northeast coast of Hawaii. Chamidae.

hawaiensis, *Bentharca* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:20, pl. 3 figs. 15–18. Holotype USNM 427759, off south coast of Oahu, Hawaii. Arcidae.

hawaiensis, *Botula* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:59, pl. 12, figs. 1–4. Holotype USNM 484180, off south coast of Molokai, Hawaii. Mytilidae.

hawaiensis, *Carditella* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:120, pl. 33, figs. 5–8. Holotype USNM 484175, off Waikiki, Oahu, Hawaii. Carditidae.

hawaiensis, *Chlamys* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:88, pl. 22, figs. 5–8. Holotype USNM 484165, Honolulu side of entrance to channel to Pearl Harbor, Oahu, Hawaii. Pectinidae.

hawaiensis, *Cuspidaria* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:226, pl. 58, figs. 1–4. Holotype USNM 173012, Palolo Channel, Hawaii. Cuspidariidae.

hawaiensis, *Kellia* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:143, text-fig. 20, pl. 38, figs. 15–18. Holotype USNM 361563, Fort Armstrong, Oahu, Hawaii. Kelliidae.

hawaiensis, *Lasaea* Dall, Bartsch and Rehder, 1938.

Bernice P. Bishop Museum Bulletin 153:141, text-fig. 18, pl. 38, figs. 1–4. Holotype USNM 484184, Keaua, Hawaii. Lasaeidae.

hawaiensis, *Lonoa* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:179, pl. 46, figs. 5–8. Holotype USNM 337471, Keokea, Hilo, Hawaii. Semelidae.

hawaiensis, *Loripinus* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:127, pl. 34, figs. 11–12. Holotype USNM 337404, entrance to Honolulu Harbor, Oahu, Hawaii. Lucinidae.

hawaiensis, *Martesia* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:205, pl. 52, figs. 1–7. Holotype USNM 484213, Pearl Harbor, Oahu, Hawaii. Pholadidae.

hawaiensis, *Piuna* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:73, pl. 17, figs. 8–11. Holotype USNM 337508, off Kaanapali, Maui, Hawaii. Pinnidae.

hawaiensis, *Roccellaria* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:202, pl. 51, figs. 1–5. Holotype USNM 484206, Ford Island, Oahu, Hawaii. Gastrochaenidae.

hawaiensis, *Saxicava* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:200, pl. 50, figs. 13–14. Holotype USNM 484204, Fort Armstrong, Oahu, Hawaii. Hiatellidae.

hawaiensis, *Spondylus* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:100, pl. 25, figs. 1–4. Holotype USNM 337515, off Honolii reef, Hilo, Hawaii. Spondylidae.

hawaiensis, *Stenolena* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:60, text-fig. 14, pl. 12, figs. 6–7. Holotype USNM 110427, off south coast of Molokai, Hawaii. Mytilidae.

hawaiensis, *Teredo* (*Teredops*) Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:213, pl. 55, figs. 6–8. Holotype USNM 335077, off south coast of Oahu, Hawaii. Teredinidae. [junior synonym of *Lyrodus pedicellatus* (Quatrefages, 1849), see Turner, 1966:104]

hawaiensis, *Trachycardium* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:155, pl. 41, figs. 1–4. Holotype USNM 337390, Keaukaha, Hilo, Hawaii. Cardiidae.

hawaiensis, *Venus* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:164, pl. 42, figs. 13–15. Holotype USNM 335581 [incorrectly published as 335881], near Kauai, Hawaii. Veneridae.

hemphilli, *Pyrgocythara* Bartsch and Rehder, 1939. Proceedings of the United States National Museum 87(3070):132, pl. 17, fig. 2. Holotype USNM 86898a, Sarasota Bay, Florida. Turridae.

- hendersoni*, *Barbatia (Abarbatia)* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:33, text-fig. 12, pl. 5, figs. 5–6. Holotype USNM 427768, outcrop in the road that leads from the main route into the Pearl Harbor grounds, Oahu, Hawaii. Arcidae.
- hendersoni*, *Chama* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:150, pl. 40, figs. 5–8. Holotype USNM 484174, Pearl Harbor, Oahu, Hawaii. Chamidae.
- hendersoni*, *Cymatoica orientalis* Rehder, 1939. The Nautilus 53(1):19, pl. 6, figs. 10–11. Holotype USNM 493384, Fowey Light, near Miami, Florida. Tellinidae.
- hendersoni*, *Pusia* Rehder, 1943. Proceedings of the United States National Museum 93(3161):200, pl. 20, fig. 12. Holotype USNM 414359, off Bears Cut, Miami, Florida. Costellariidae.
- hiloa*, *Barbatia (Abarbatia)* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:34, pl. 4, figs. 13–16. Holotype USNM 427769, Keaukahala, Hilo, Hawaii. Arcidae.
- hiloa*, *Scintilla* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:146, text-fig. 22, pl. 38, figs. 11–14. Holotype USNM 484187, Keokea, Hilo, Hawaii. Galeommatidae.
- houstonius*, *Brachidontes multiformis* Bartsch and Rehder, 1939. Smithsonian Miscellaneous Collections 98(10):14, pl. 4, figs. 4–7. Holotype USNM 472858, Sullivan Bay, James Island, Galapagos Islands. Mytilidae.
- hua*, *Calloarca (Barbarea)* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:24, text-fig. 8, pl. 4, figs. 5–8. Holotype USNM 427760, entrance to Pearl Harbor, Oahu, Hawaii. Arcidae.
- humboldti*, *Bathybembix* Rehder, 1971. Proceedings of the Biological Society of Washington 83(51):587, fig. 4. Holotype USNM 701665, NW of Valparaiso, Chile. Trochidae.
- humerosa*, *Fulgoraria (Volutipysma)* Rehder, 1969. Venus, The Japanese Journal of Malacology 27(4):130, pl. 7, figs. 5–7. Holotype USNM 237732, SSW of Tung-sha-Tao (Pratas Island), South China Sea. Volutidae.
- jacksoni*, *Naeiotus quitensis* Rehder, 1940. The Nautilus 53(4):116, pl. 13, figs. 1, 5. Holotype USNM 473969, Guaiabamba (northeast of Quito), Ecuador. Orthaliciidae.
- jaumei*, *Diadora* [sic] Aguayo and Rehder, 1936. Memorias de la Sociedad Cubana de Historia Natural 9(4): 263, pl. 24, fig. 6. Holotype USNM 420974, Varadero, Matanzas, Cuba. Fissurellidae.
- juddi*, *Haumea* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:86, pl. 22, figs. 1–4. Holotype USNM 337538, off Kaanapali, Maui, Hawaii. Pectinidae.
- kajiyamai*, *Harpa* Rehder, 1973. Indo-Pacific Molusca 3(16):244, pl. 188, figs. 3–4. Holotype NSMT 41450, southern Philippines. Harpidae. [junior synonym and junior homonym of *Harpa kajiyamai* Habe in Habe and Kosuge, 1972, see Petit & Bieler, 1996:44]
- kanaka*, *Roccellaria* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:203, pl. 51, figs. 11–15. Holotype USNM 337379, Mokuoloe Island, Kaneohe Bay, Oahu, Hawaii. Gastrochaenidae.
- kauaia*, *Glycymeris* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:40, pl. 7, figs. 2–3. Holotype USNM 173043, near Kauai, Hawaii. Glycymerididae.
- kauaia*, *Navicula* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:11, pl. 1, figs. 9–12. Holotype USNM 335696, off Kauai, Hawaii. Arcidae.
- kauaia*, *Ostrea* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:112, pl. 30, figs. 8–9. Holotype USNM 335585, near Kauai, Hawaii. Ostreidae.
- kauaiensis*, *Bentharca* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:22, text-fig. 7, pl. 3, figs. 5–6. Holotype USNM 173232, near Kauai, Hawaii. Arcidae.
- kauaiensis*, *Chlamys* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:92, pl. 22, figs. 9–10. Holotype USNM 335674, near Kauai, Hawaii. Pectinidae.
- kauaiensis*, *Spondylus* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:103, pl. 26, figs. 12–13. Holotype USNM 335638, near Kauai, Hawaii. Spondylidae.
- kauaiensis*, *Teredo (Teredops)* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:214. These authors affixed the name *T. kauaiensis* to Miller's (1924) description of what he believed to be *Teredo diegensis* Bartsch, 1916, from Pearl Harbor, Honolulu Harbor, and Nawiliwili. They comment that they have not had specimens of this species for examination. There can be no type material for *Teredo kauaiensis*, as neither specimens nor figs. were associated with the name by either Miller or Dall, Bartsch and Rehder. Teredinidae. [synonym of *Lyrodus pedicellatus* Quatrefages, 1849, see Turner, 1966:106]
- kauaium*, *Propeamussium* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:80, pl. 19, figs. 4–7, pl. 20 figs. 1–2. Holotype USNM 173218, near Kauai, Hawaii. Propeamussiidae.
- keolica*, *Lima* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:107, pl. 27, figs. 13–16. Holotype USNM 337519, Kaneohe Bay, Oahu, Hawaii. Limidae.
- kilburni*, *Volutocorbis* Rehder, 1974. The Nautilus 88(2): 36, figs. 5–8. Holotype USNM 709352, off Durban, Natal. Volutidae.

kingae, *Cypraea* Rehder and Wilson, 1975. Smithsonian Contributions to Zoology 203:2, text-figs. 1–3, frontispiece figs. 1, 4–5, 7–8. Holotype USNM 707234, off NW point of Pitcairn Island. Cypraeidae.

kona, *Glycymeris* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:41, pl. 7, figs. 8–9. Holotype USNM 427765, off south coast of Oahu, Hawaii. Glycymerididae.

koestneri, *Propilsbrya* (*Pectinistemma*) Rehder, 1940. Journal of the Washington Academy of Sciences 30(7): 316, figs. 1–3. Holotype USNM 535762, Cerro Potosi at Galeana, Nuevo Leon, Mexico. Uroctopidae.

kupua, *Ostrea* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:111, pl. 30, figs. 1–4. Holotype USNM 484156, Pearl Harbor, Oahu, Hawaii. Ostreidae.

laciñiata, *Pteria* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:70, pl. 17, figs. 5–7. Holotype USNM 335666, off northeast coast of Hawaii. Pteriidae.

lahaina, *Lima* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:105, pl. 27, figs. 1–4. Holotype USNM 484169, off Lahaina, Maui, Hawaii. Limidae.

lamellifera, *Pseudomalaxis* (*Paurodiscus*) Rehder, 1935. The Nautilus 48(4):128, pl. 7, figs. 8–10. Holotype USNM 426235, Florida Straits. Architectonicidae.

langfordi, *Nodipecten* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:85, pl. 21, figs. 9–12. Holotype USNM 337541, off Waikiki, Oahu, Hawaii. Pectinidae.

latilirata, *Coralliophila* Rehder, 1985. The Nautilus 99(4):97, figs. 1–3. Holotype USNM 731531, Oeno, Pitcairn Islands. Coralliophilidae.

latiriforme, *Vasum* (*Siphovasum*) Rehder and Abbott, 1951. Revista de la Sociedad Malacologica "Carlos de la Torre" 8(2):61, pl. 9, figs. 5–6. Holotype USNM 597517, NW of Cape Catoche, Yucatan, Mexico. Turbinellidae.

laysana, *Acar* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:16, text-fig. 4, pl. 1, figs. 13–16. Holotype USNM 335647, off Laysan Island, Hawaii. Arcidae.

laysana, *Arcinella* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:118, pl. 33, figs. 15–18. Holotype USNM 484178, Laysan Island, Hawaii. Chamidae.

laysana, *Botula* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:60, pl. 12, fig. 5. Holotype USNM 335614, near Laysan Island, Hawaii. Mytilidae.

laysana, *Ostrea* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:111, pl. 32, figs. 5–8.

Holotype USNM 484157, off Laysan Island, Hawaii. Ostreidae.

laysanus, *Musculus* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:54, pl. 10, figs. 11–12. Holotype USNM 190444, vicinity of Laysan Island, Hawaii. Mytilidae.

leptocharactum, *Cerithium* (*Thericium*) Rehder, 1980. Smithsonian Contributions to Zoology 289:38, pl. 6, figs. 5–7. Holotype USNM 756335, Hanga Piko, Easter Island. Cerithiidae.

leucathema, *Triphora* Rehder, 1980. Smithsonian Contributions to Zoology 289:42, pl. 6, fig. 12. Holotype USNM 756003, Hanga Papara, Easter Island. Triphoridae.

leviuscula, *Fulgoraria* (*Fulgoraria*) Rehder, 1969. Venus, The Japanese Journal of Malacology 27(4):128, pl. 7, figs. 1–4. Holotype USNM 231770, NW of Tung-sha-Tao (Pratas Island), South China Sea. Volutidae.

limitaris, *Inforis* Rehder, 1980. Smithsonian Contributions to Zoology 289:41, pl. 6, fig. 10. Holotype USNM 756215, Onetea, Hoituiti, Easter Island. Triphoridae.

lirellata, *Nerita* (*Hemicerita*) Rehder, 1980. Smithsonian Contributions to Zoology 289:23, pl. 4, figs. 14–15. Holotype USNM 756795, Hanga Omiti, Easter Island. Neritidae.

livida, *Sayella* Rehder, 1935. The Nautilus 48(4):129, pl. 7, fig. 7. Holotype USNM 125556, Corpus Christi Bay, Texas. Pyramidellidae.

loisae, *Aenacator* (*Ellicea*) Rehder, 1971. Proceedings of the Biological Society of Washington 83(51):593, figs. 7–8. Holotype USNM 701667, type locality not indicated [NW of Valparaiso, Chile]. Buccinulidae.

loisae, *Astroharpa* Rehder, 1973. Indo-Pacific Mollusca 3(16):264, pl. 237, figs. 3, 6. Holotype WAM 156–72, NW of Rottnest Island, Western Australia. Harpidae.

loisae, *Euplica* Rehder, 1980. Smithsonian Contributions to Zoology 289:77, pl. 10, figs. 6–8. Holotype USNM 753940, Haka Ea, Vaihu, Easter Island. Columbellidae.

loisae, *Triphora* Rehder, 1980. Smithsonian Contributions to Zoology 289:44, pl. 6, fig. 14. Holotype USNM 756778, Hanga Papara, Easter Island. Triphoridae.

longinqua, *Merclina* (*Merclina*) Rehder, 1980. Smithsonian Contributions to Zoology 289:29, pl. 5, fig. 10. Holotype USNM 766829, Onetea, Hotuiti, Easter Island. Rissoidae.

lucasana, *Lyonsia* (*Phlyctiderma*) Bartsch and Rehder, 1939. Smithsonian Miscellaneous Collections 98(10):12, pl. 4, figs. 1–3. Holotype USNM 472526, off Punta Gorda, Cape San Lucas, Lower California, Mexico. Lyonsiidae.

lutca, *Anisodonta* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:124, pl. 34, figs. 7–

10. Holotype USNM 337468, a Honolulu beach, Oahu, Hawaii. Sportellidae.

magdalencensis, *Conus* Bartsch and Rehder, 1939. Smithsonian Miscellaneous Collections 98(10):4, pl. 1, figs. 5, 9. Holotype USNM 472521, Magdalena Bay, Lower California, Mexico. Conidae.

marielae, *Conus* Rehder and Wilson, 1975. Smithsonian Contributions to Zoology 203:14, text-fig. 10, frontispiece figs. 10–11. Holotype USNM 703255, off Baie Motu-Hee, Nuku Hiva, Marquesas Islands. Conidae.

mania, *Cadella* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:197, pl. 50, figs. 1–4. Holotype USNM 337347, off Launiupoko, Maui, Hawaii. Tellinidae.

mania, *Glycymeris* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:38, pl. 6, figs. 5–6. Holotype USNM 337443, off Mala Bay, Maui, Hawaii. Glycymerididae.

mania, *Navicula* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:12, text-fig. 2, pl. 1, figs. 1–4. Holotype USNM 190446, Aleunihana Channel, Hawaii. Arcidae.

maunaluana, *Calloarca* (*Barbarca*) Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:26, pl. 4, figs. 9–12. Holotype USNM 427757, near Koko Head, Maunalua Bay, Oahu, Hawaii. Arcidae.

mayaorum, *Drymaeus* Rehder, 1966. Proceedings of the Biological Society of Washington 79:287, figs. 3–4. Holotype USNM 251656, Isla Mujeres, Quintana Roo, Mexico. Orthalicidae.

mediopacificensis, *Dentalium* Rehder and Ladd, 1973. Science Reports of the Tohoku University (ser. 2, Geology), Special volume 6:48, pl. 3, figs. 1–2. Holotype USNM 703273, Agassiz Guyot, Mid-Pacific Mountains, central Pacific Ocean. Dentaliidae.

mesoleuca, *Crassispira* (*Crassispirilla*) Rehder, 1943. Proceedings of the United States National Museum 93(3161):202, pl. 20, fig. 15. Holotype USNM 411906, Looe Key Reef, Florida. Turridae.

mighelsi, *Margarites* Rehder, 1937. Proceedings of the Biological Society of Washington 50:115. Replacement name for *Margarites johnsoni* Dall, 1921, preoccupied by *Margarita johnsoni* Arnold, 1909. Trochidae.

milleri, *Teredo* (*Cornuteredo*) Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:210, pl. 54, figs. 1–2. New name for *Teredo affinis* Deshayes, 1863, as described and figured by Miller, 1924. Dall, Bartsch and Rehder comment that they have not seen this species, and apply their new name to Miller's description, which they believed to be different from *Teredo affinis* Deshayes, 1863. The holotype of *Teredo milleri* (CAS 12384) is the specimen designated as the neotype of *Teredo affinis* Deshayes, 1863 by Moll, 1941

[Turner, 1966:111]. *Teredo milleri* Dall, Bartsch and Rehder, 1938, is therefore a junior objective synonym of *Teredo affinis* Deshayes, 1863, now placed in the genus *Lyrodus* [Turner, 1966:86]. Teredinidae.

miltoplax, *Chiton* Rehder, 1932. The Nautilus 45(4):pl. 10, figs. 4–5. Nomen nudum.

mimula, *Dimyia* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:78, pl. 19, figs. 1–2. Holotype USNM 173002, off south coast of Molokai, Hawaii. Dimyidae.

mimus, *Spondylus* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:102, pl. 26, figs. 6–7. Holotype USNM 337509, entrance to Honolulu Harbor, Oahu, Hawaii. Spondylidae.

molokaia, *Barbatia* (*Abarbatia*) Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:32, text-fig. 11, pl. 5, figs. 7–10. Holotype USNM 173203, off south coast of Molokai, Hawaii. Arcidae.

molokaia, *Dimyia* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:79, pl. 19, fig. 3. Holotype USNM 190431, off north coast of Molokai, Hawaii. Dimyidae.

molokaia, *Glycymeris* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:35, pl. 6, figs. 1–2. Holotype USNM 427761, off south coast of Molokai, Hawaii. Glycymerididae.

molokaium, *Propcamussium* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:82, pl. 20, fig. 8, pl. 21, figs. 5–6. Holotype USNM 335677, off south coast of Molokai, Hawaii. Propeamussiidae.

molokaius, *Musculus* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:53, pl. 10, figs. 5–6. Holotype USNM 190445, off south coast of Molokai, Hawaii. Mytilidae.

monilis, *Monilispira* Bartsch and Rehder, 1939. Proceedings of the United States National Museum 87(3070):137, pl. 17, fig. 10. Holotype USNM 508649, Waveland, Dade County, Florida. Turridae.

morrisoni, *Microdaphne* Rehder, 1980. Smithsonian Contributions to Zoology 289:88, text-fig. 12, pl. 11, figs. 5–6. Holotype USNM 758390, Motu Mataira, Raroia, Tuamotu Islands. Turridae.

mozambicana, *Volutocoris* Rehder, 1972. The Veliger 15(1):12, figs. 3–5, 7–9. Holotype USNM 717909, 95 miles SE of Inhaca Id., Mozambique. Volutidae.

muriei, *Anabathron* Bartsch and Rehder, 1939. The Nautilus 52(4):110, pl. 8, figs. 2, 2a. Holotype USNM 535345, Ogluga Island, Aleutian Islands. Barleeidae.

nana, *Volutocoris* Rehder, 1974. The Nautilus 88(2):35, figs. 1–4. Holotype USNM 709351, off coast of southern Zululand, Natal. Volutidae.

nebulosum, *Fartulum* Rehder, 1943. Proceedings of the

United States National Museum 93(3161):190, pl. 20, fig. 8. Holotype USNM 536042, Bonefish Key, Florida. Type locality corrected (The Nautilus 57(1):32) to Missouri Key, 14 or 15 miles west of Bonefish Key. Caecidae.

nebulosus, *Semelangulus* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:180, pl. 47, figs. 5–8. Holotype USNM 484202, off Launiupoko, Maui, Hawaii. Tellinidae.

nesiotum, *Propeamussium* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:81, pl. 19, figs. 12–15, pl. 20 fig. 7. Holotype USNM 190441, off south coast of Molokai, Hawaii. Propeamussiidae.

newcombi, *Volsella (Amygdalum)* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:45, pl. 8, figs. 9–10. Holotype USNM 173022, off south coast of Oahu, Hawaii. Mytilidae.

nigrescens, *Alvania* Bartsch and Rehder, 1939. Smithsonian Miscellaneous Collections 98(10):8, pl. 2, fig. 5. Holotype USNM 472621, Old Providence Island, Colombia [Caribbean]. Rissoidae.

nigrita, *Synaptocochlea* Rehder, 1939. The Nautilus 53(1):20, pl. 6, fig. 1. Holotype USNM 473205, Loggerhead Key, Dry Tortugas Keys, Florida. Stomatellidae.

notabilis, *Adrana* Rehder, 1939. The Nautilus 53(1):16, pl. 6, figs. 4, 12. Holotype USNM 499337, Paraguana Peninsula, Venezuela. Nuculanidae.

nucella, *Pinguitellina* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:195, text-fig. 28, pl. 49, figs. 9–12. Holotype USNM 484199, off Lihau, Maui, Hawaii. Tellinidae.

nuttingi, *Calloarca (Barbarca)* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:26, pl. 4, figs. 17–20. Holotype USNM 335648, Laysan Island, Hawaii. Arcidae.

nux, *Glycymeris* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:36, pl. 6, figs. 9–12. Holotype USNM 173003, Pailolo Channel, Hawaii. Glycymerididae.

oahuia, *Barbatia (Abarbatia)* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:30, text-fig. 10, pl. 5, figs. 1–4. Holotype USNM 427767, Kaneohe Bay, Oahu, Hawaii. Arcidae.

oahuia, *Glycymeris* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:39, pl. 7, figs. 10–11. Holotype USNM 338229, off south coast of Oahu, Hawaii. Glycymerididae.

oahuia, *Pinna* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:75, pl. 18, figs. 5–6. Holotype USNM 337506, type locality not stated. Pinnidae.

oahuana, *Cadella* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:197, pl. 50, figs. 5–

8. Holotype USNM 333069, near Koko Head, Oahu, Hawaii. Tellinidae.

oahuana, *Roccellaria* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:201, pl. 51, figs. 6–10. Holotype USNM 337314, off Waikiki, Oahu, Hawaii. Gastrochaenidae.

oahuensis, *Lyonsia (Allogramma)* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153: 215, pl. 56, figs. 9–12. Holotype USNM 173017, Pailolo Channel, Hawaii. Lyonsiidae.

oahuensis, *Semelangulus* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:181, pl. 47, figs. 9–12. Holotype USNM 337346, entrance to Honolulu Harbor, Oahu, Hawaii. Tellinidae.

oahuus, *Musculus* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:54, pl. 10, figs. 13–14. Holotype USNM 484181, Pearl Harbor, Oahu, Hawaii. Mytilidae.

ochrostigmata, *Natica* Rehder, 1980. Smithsonian Contributions to Zoology 289:64, pl. 8, figs. 13–15. Holotype USNM 339159, off Launiupoko, Maui, Hawaii. Naticidae.

orinus, *Nacsiotus quitensis* Rehder, 1940. The Nautilus 53(4):116, pl. 13, figs. 6, 10. Holotype USNM 473971, Chimborazo (near Riobamba), Ecuador. Orthalicidae.

ovalis, *Hitia* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:136, text-fig. 15, pl. 37, figs. 1–4. Holotype USNM 21120, "Sandwich Islands" [Hawaii]. Sportellidae.

pacifica, *Terua* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:58, pl. 11, figs. 11–14. Holotype USNM 173020, off south coast of Oahu, Hawaii. Mytilidae.

pailoloana, *Cuspidaria (Myonera)* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153: 225, pl. 58, figs. 8–11. Holotype USNM 173015, Pailolo Channel, Hawaii. Cuspidariidae.

pailoloum, *Propeamussium* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:82, pl. 19, figs. 8–11, pl. 20, figs. 5–6. Holotype USNM 173209, Pailolo Channel, Hawaii. Propeamussiidae.

pailolous, *Musculus* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:55, pl. 10, figs. 7–10. Holotype USNM 335310 [incorrectly published as 335301], Napili Harbor, Maui, Hawaii. Mytilidae.

palmeri, *Humboldtiana* Clench and Rehder, 1930. The Nautilus 44(1):12, pl. 2, figs. 1–4. Holotype MCZ 79779, Jeff Davis County, Texas. Helminthoglyptidae.

parallela, *Lima* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:106, pl. 27, figs. 9–12. Holotype USNM 333074, off Lahaina, Maui, Hawaii. Limidae.

parispinus, *Spondylus* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:99, pl. 25, figs. 5–8. Holotype USNM 484161, Honauau, Hawaii. Spondylidae.

pascua, *Siphonaria* Rehder, 1980. Smithsonian Contributions to Zoology 289:97, pl. 12, figs. 4–7. Holotype CAS 58706, Easter Island. Siphonariidae.

pasenana, *Granula* Rehder, 1980. Smithsonian Contributions to Zoology 289:85, pl. 9, fig. 20. Holotype USNM 710721, Onetea, Hotuuti, Easter Island. Cystiscidae.

paseuensis, *Conus miliaris* Rehder, 1980. Smithsonian Contributions to Zoology 289:91, pl. 9, figs. 21–22. Holotype USNM 766496, Hanga Piko, Easter Island. Conidae.

paulisculpta, *Spiraxis (Rectaxis)* Rehder, 1942. Journal of the Washington Academy of Sciences 32(11):350, fig. 18. Holotype USNM 536016, Santa Maria, San Jose Province, Costa Rica. Spiraxidae.

perductorum, *Drymaeus* Rehder, 1943. The Nautilus 57(1):29, pl. 6, figs. 6–9. Holotype USNM 517552, near Las Grutas de Cacahuamilpa, Guerrero, Mexico. Orthalicidae.

peregrina, *Polygyra* Rehder, 1932. The Nautilus 45(4):130, text-fig. 1. Holotype MCZ 81349, Izard County Arkansas. Polygyridae.

perryae, *Cerodrillia (Cerodrillia)* Bartsch and Rehder, 1939. Proceedings of the United States National Museum 87(3070):128, pl. 17, fig. 1. Holotype USNM 508644, Sanibel Island, Florida. Turridae.

perryae, *Kurtziella* Bartsch and Rehder, 1939. Proceedings of the United States National Museum 87(3070):134, pl. 17, figs. 7, 9. Holotype USNM 508646, Sanibel Island, Florida. Turridae.

philippii, *Peronaens* Rehder, 1945. Revista Chilean de Historia Natural, 48(1944):3. Holotype USNM 537830, near Copiapo, Chile. Orthalicidae.

pilsbryi, *Dentalium (Antalis)* Rehder, 1942. The Nautilus 56(2):69. Replacement name for *Dentalium (Antalis) pseudohexagonum* "Ihering" Henderson, 1920, preoccupied by *Dentalium pseudohexagonum* Arnold, 1903. Dentaliidae.

pilsbryi, *Megaspira* Rehder, 1945. The Nautilus 59(2):67. New name for *Megaspira elata* (Gould) Pilsbry, 1904, not *Megaspira elata* Gould, 1847. Three syntypes are enumerated, ANSP 3057, ANSP 25041, USNM, number not published. Brazil. Megaspiridae.

pilsbryi, *Privigna* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:161, pl. 42, figs. 9–12. Holotype USNM 484192, Pearl Harbor, Oahu, Hawaii. Veneridae.

pilsbryi, *Rotadiscus* Rehder, 1942. Journal of the Wash-

ington Academy of Sciences 32(11):352, figs. 10–12. Holotype USNM 536018, Santa Maria, San Jose Province, Costa Rica. Charopidae.

pilula, *Pitar (Nanopitar)* Rehder, 1943. Proceedings of the United States National Museum 93(3161):188, pl. 19, figs. 5–10. Holotype USNM 517057, Lake Worth, Florida. Veneridae.

pisinna, *Melanella* Rehder, 1980. Smithsonian Contributions to Zoology 289:54, pl. 7, figs. 10–11. Holotype USNM 756117, Haka Ea, Vaihu, Easter Island. Eulimidae.

pisum, *Bathyarca* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:19, text-fig. 6, pl. 3, figs. 1–4. Holotype USNM 335684, Pailolo Channel, Hawaii. Arcidae.

planospira, *Spiratella* Rehder, 1942. United States Department of the Interior, Geological Survey, Professional Paper 196-D:108, pl. 23, figs. 5–7. Holotype USNM 535416, 49°36'N 28°54'W, middle of North Atlantic Ocean (sample H-63, core 8). Limacinidae.

polynesica, *Metavia* Rehder, 1980. Smithsonian Contributions to Zoology 289:47, pl. 7, fig. 1. Holotype MNSH 200413, Easter Island. Triphoridae.

polynesica, *Nucula* Rehder, 1980. Smithsonian Contributions to Zoology 289:106, pl. 13, figs. 1–2. Holotype USNM 756244, Onetea, Hotuuti, Easter Island. Nuculidae.

polynesica, *Williamia* Rehder, 1980. Smithsonian Contributions to Zoology 289:98, pl. 12, figs. 10–11. Holotype USNM 757897, off Waikiki, Oahu, Hawaii. Siphonariidae.

powelli, *Comitas* Rehder and Ladd, 1973. Science Reports of the Tohoku University (ser. 2, Geology), Special volume 6:45, pl. 3, figs. 11–12. Holotype USNM 703267, Agassiz Guyot, central Pacific Ocean. Turridae.

praecipua, *Morula* Rehder, 1980. Smithsonian Contributions to Zoology 289:70, pl. 9, fig. 5. Holotype USNM 751592, Hanga Piko, Easter Island. Muricidae.

pratasensis, *Sigaluta* Rehder, 1967. Pacific Science, 21(2):182, figs. 1–4. Holotype USNM 237618 [incorrectly published as 237018], west of Pratas Reef, South China Sea (20°37'N, 115°43'E). Marginellidae. [junior synonym of *Marginellona gigas* (Martens, 1904) see Harasewych and Kantor, 1991]

puleher, *Halopsephus* Rehder, 1943. Proceedings of the United States National Museum 93(3161):191, pl. 20, figs. 3, 10. Holotype USNM 500638, off Lazaretto, Barbados. Turbinidae.

pumilio, *Peronaens* Rehder, 1945. Revista Chilean de Historia Natural, 48(1944):5. Replacement name for *Bulimus nanus* Reeve, 1849, preoccupied by *Bulimus nanus* Lamarek, 1804. Orthalicidae.

rapaniensis, *Leuconopsis* Rehder, 1980. Smithsonian

Contributions to Zoology 289:101, pl. 12, fig. 3. Holotype USNM 756790, Onetea, Hotuiti, Easter Island. Ellobiidae.

recta, *Atrina (Atrina)* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:76, pl. 17, figs. 3–4. Holotype USNM 484153, off south coast of Molokai, Hawaii. Pinnidae.

rectangula, *Hawaiarea* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:27, text-fig. 9, pl. 3, figs. 11–14. Holotype USNM 173222, Alenuihaha Channel, Hawaii. Arcidae.

riisei, *Arene* Rehder, 1943. Proceedings of the United States National Museum 93(3161):192, pl. 19, figs. 17–18. Holotype USNM 42858, St. John, Virgin Islands. Turbinidae.

roosevelti, *Conus* Bartsch and Rehder, 1939. Smithsonian Miscellaneous Collections 98(10):3, pl. 1, figs. 4, 7. Holotype USNM 472854, Clipperton Island, East Pacific Ocean. Conidae.

roosevelti, *Marginella* Bartsch and Rehder, 1939. Smithsonian Miscellaneous Collections 98(10):5, pl. 1, figs. 2–3. Holotype USNM 472610, Old Providence Island, Colombia [Caribbean]. Marginellidae.

roosevelti, *Pesiella* Bartsch and Rehder, 1939. Smithsonian Miscellaneous Collections 98(10):8, pl. 2, figs. 1–3. Holotype USNM 472575, Sullivan Bay, James Island, Galapagos Islands. Littorinidae.

roosevelti, *Terebra (Subula)* Bartsch and Rehder, 1939. Smithsonian Miscellaneous Collections 98(10):1, pl. 1, fig. 6. Holotype USNM 472534, Socorro Island, Mexico. Terebridae.

rosavittoriae, *Volutocorbis* Rehder, 1981. The Nautilus 95(4):169, figs. 1–5. Holotype USNM 784653, Off Kisimayu, southern Somalia. Volutidae.

rosea, *Kaneoha* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:142, text-fig. 19, pl. 39, figs. 9–12. Holotype USNM 484185, Mokuoloe Island, Kaneohe Bay, Oahu, Hawaii. Kelliidae.

rostrata, *Poromya* Rehder, 1943. Proceedings of the United States National Museum 93(3161):189, pl. 19, figs. 11–12. Holotype USNM 536152, off Delray Beach, Palm Beach County, Florida. Poromyidae.

rostratula, *Ervilia* Rehder, 1943. Proceedings of the United States National Museum 93(3161):189, pl. 19, figs. 1–2. Holotype USNM 517059, Lake Worth, Florida. Mesodesmatidae.

rubropicta, *Chama* Bartsch and Rehder, 1939. Smithsonian Miscellaneous Collections 98(10):13, pl. 3, figs. 6–10. Holotype USNM 472553, Clipperton Island, East Pacific Ocean. Chamidae.

sudis, *Septifer* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:50, pl. 9, figs. 5–8. Ho-

lotype USNM 173223, off Alenuihaha Channel, Hawaii. Mytilidae.

ruizana, *Limopsis (Felicia)* Rehder, 1971. Proceedings of the Biological Society of Washington 83(51):586, fig. 1. Holotype USNM 701671, NW of Valparaiso, Chile. Limopsidae.

sagenaria, *Kermia* Rehder, 1980. Smithsonian Contributions to Zoology 289:90, pl. 11, fig. 1. Holotype USNM 756115, Haka Ea, Vaihu, Easter Island. Turridae.

sagittatus, *Modiolus (Amygdalum)* Rehder, 1935. The Nautilus 48(4):127, pl. 7, figs. 11–12. Holotype USNM 93999, off Cape San Blas, Florida. Mytilidae.

sallasi, *Murex (Murex) recurvirostris* Rehder and Abbott, 1951. Revista de la Sociedad Malacologica "Carlos de la Torre" 8(2):58, pl. 9, figs. 7–8. Holotype USNM 597515, NW of Cape Catoche, Quintana Roo, Mexico. Muricidae.

sanibelensis, *Crassispira (Crassispirella)* Bartsch and Rehder, 1939. Proceedings of the United States National Museum 87(3070):135, pl. 17, figs. 11–12. Holotype USNM 508647, Sanibel Island, Florida. Turridae.

sanibelensis, *Succinea* Rehder, 1933. The Nautilus 47(1):20. Holotype MCZ 59645, Sanibel Island, Florida. Succineidae.

scaphoides, *Adrana* Rehder, 1939. The Nautilus 53(1):17, pl. 6, fig. 5. Holotype USNM 364223, near Cartagena, Colombia. Nuculanidae.

schefferi, *Liocyma* Bartsch and Rehder, 1939. The Nautilus 52(4):111, pl. 8, figs. 1–lb. Holotype USNM 535344, off Chuginadak Island, Aleutian Islands, Alaska. Veneridae.

schmitti, *Littorina* Bartsch and Rehder, 1939. Smithsonian Miscellaneous Collections 98(10):9, pl. 2, fig. 4. Holotype USNM 472547, Clipperton Island, East Pacific Ocean. Littorinidae.

schoederi, *Cerodrillia (Lisodrillia)* Bartsch and Rehder, 1939. Proceedings of the United States National Museum 87(3070):130, pl. 17, fig. 8. Holotype USNM 530585, off Charlotte Harbor, Florida. Turridae.

semirugata, *Volutocorbis* Rehder and Weaver, 1974. The Nautilus 88(2):31, figs. 1–8. Holotype NM 9939, SE of Bluff, Durban, South Africa. Type catalog number and locality corrected [The Nautilus 89(3):79] to NM Moll. no. G769, off Ilha Bazaruto, Mozambique. Volutidae.

sennottorum, *Conus* Rehder and Abbott, 1951. Revista de la Sociedad Malacologica "Carlos de la Torre" 8(2):63, pl. 9, figs. 1–2. Holotype USNM 597519, SW of Campeche, Yucatan, Mexico. Conidae.

serratissimus, *Spondylus* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:97, pl. 25, figs. 9–12. Holotype USNM 337513, off Honolulu, Oahu, Hawaii. Spondylidae.

significans, *Bartschia* Rehder, 1943. Proceedings of the United States National Museum 93(3161):199, pl. 20, fig. 17. Holotype USNM 516493, off Tortugas, Florida. Buccinidae.

smirna, *Conus* Bartsch and Rehder, 1943. Proceedings of the Biological Society of Washington 56:87. Holotype USNM 173226, near Kauai Island, Hawaii. Conidae.

sparsipunctata, *Psarostola monilifera* Rehder, 1943. Proceedings of the United States National Museum 93(3161):198, pl. 20, fig. 11. Holotype USNM 450778, southeast of Fowey Light, Florida. Columbellidae.

sparsispinosus, *Spondylus* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:98, pl. 26, figs. 1–5. Holotype USNM 190436, Pailolo Channel, Hawaii. Spondylidae.

spiceri, *Comptopallium* Rehder, 1944. The Nautilus 58(2):52, pl. 2, figs. 1–2. Holotype USNM 518010, Christmas Island, Line Islands, Central Pacific. Pectinidae.

spiceri, *Conus* Bartsch and Rehder, 1943. Proceedings of the Biological Society of Washington 56:87. Holotype USNM 537792, Sand Island, Midway, Central Pacific. Conidae.

springeri, *Anadara* Rehder and Abbott, 1951. Revista de la Sociedad Malacologica "Carlos de la Torre" 8(2):54, pl. 8, figs. 8–9. Holotype USNM 597375, off Dry Tortugas, Florida. Arcidae.

stearnsi, *Chlamys* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:89, pl. 22, figs. 11–12. Holotype USNM 495030, Waianae Quarry, Oahu, Hawaii. Pectinidae.

tampaensis, *Crassispira (Crassispirella)* Bartsch and Rehder, 1939. Proceedings of the United States National Museum 87(3070):136, pl. 17, figs. 5, 13. Holotype USNM 493409, Tampa Bay, Florida. Turridae.

tedbayeri, *Natica (Glyphepithema)* Rehder, 1986. The Nautilus 100(3):112. Replacement name for *Natica (Glyphepithema) bayeri* Rehder, 1986, preoccupied by *Natica (Naticina) bayeri* Koperberg, 1931. See *bayeri*, *Natica* Rehder, 1986. Naticidae.

terryae, *Helicina* Rehder, 1942. Journal of the Washington Academy of Sciences 32(11):350, fig. 16. Holotype USNM 536026 [incorrectly published as 539026], Chiriqui Province, Republic of Panama. Helicinidae.

thaanumi, *Arcinella* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:117, pl. 33, figs. 1–4. Holotype USNM 484176, near Koko Head, Oahu, Hawaii. Chamidae.

thaanumi, *Mactra* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:172, pl. 44, figs. 1–4. Holotype USNM 337324, off Kaanapali, Maui, Hawaii. Mactridae.

thaanumi, *Mirapecten* Dall, Bartsch and Rehder, 1938.

Bernice P. Bishop Museum Bulletin 153:84, pl. 21, figs. 7–8. Holotype USNM 173195, off south coast of Molokai, Hawaii. Pectinidae.

thaanumi, *Ostrea* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:114, pl. 32, figs. 1–4. Holotype USNM 484158, Mokuoloe Island, Kaneohe Bay, Oahu, Hawaii. Ostreidae.

thurstoni, *Fragum* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:154, pl. 41, figs. 9–10. Holotype USNM 484189, Keokea, Hilo, Hawaii. Cardiidae.

tita, *Semele* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:177, pl. 45, figs. 1–4. Holotype USNM 484197, Keaukaha, Hilo, Hawaii. Semelidiae.

torrei, *Acteon* Aguayo and Redher, 1936. Memorias de la Sociedad Cubana de Historia Natural 9(4):268, pl. 24, fig. 8. Holotype USNM 420977, La Chorrera, Habana, Cuba. Acteonidae.

transversa, *Ctena* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:131, pl. 35 figs. 9–12. Holotype USNM 337409, off Waikiki, Oahu, Hawaii. Lucinidae.

transversa, *Poromya* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:224, pl. 57, figs. 5–6. Holotype USNM 333017 [incorrectly published as 330317], off south coast of Molokai, Hawaii. Poromyidae.

transversum, *Microcardium* Rehder and Abbott, 1951. Revista de la Sociedad Malacologica "Carlos de la Torre" 8(2):56, pl. 9, figs. 9–10. Holotype USNM 485739 [incorrectly published as 485734], SSW of Marsh Island, Iberia County, Louisiana. Cardiidae.

valerioi, *Streptostyla (Streptostyla)* Rehder, 1942. Journal of the Washington Academy of Sciences 32(11):351, fig. 17. Holotype USNM 536020, Cervantes, Cartago Province, Costa Rica. Spiraxidae.

vanhyningi, *Arene* Rehder, 1943. Proceedings of the United States National Museum 93(3161):192, pl. 19, figs. 15–16. Holotype USNM 536054, Sand Key, 8 miles south of Key West, Florida. Turbinidae.

vanhyningi, *Conus verrucosus* Rehder, 1944. The Nautilus 57(3):106. Holotype USNM 537863, on beach off Pompano, Broward County, Florida. Conidae.

vanhyningi, *Cumingia tellinoides* Rehder, 1939. The Nautilus 53(1):19, pl. 6, figs. 13–14. Holotype USNM 473123, Lower Matecumbe Key, Florida. Semelidae.

vargasi, *Triphora* Rehder, 1980. Smithsonian Contributions to Zoology 289:43, pl. 6, fig. 11. Holotype MNSH 200384, Easter Island. Triphoridae.

vaughani, *Septifer* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:50, pl. 9, figs.

9–10. Holotype USNM 495045, Wailupe Quarry, Oahu, Hawaii. Mytilidae.

velascoi, *Emarginula* Rehder, 1980. Smithsonian Contributions to Zoology 289:16, pl. 4, figs. 2–3. Holotype USNM 756019, Hanga Papara, Easter Island. Fissurellidae.

venustula, *Arene* Aguayo and Rehder, 1936. Memorias de la Sociedad Cubana de Historia Natural 9(4):264, pl. 24, figs. 1–3. Holotype USNM 420976, La Chorrera, Habana, Cuba. Turbinidae.

venustulus, *Chicoreus (Chicomurex)* Rehder and Wilson, 1975. Smithsonian Contributions to Zoology 203:7, text-figs. 4–5, frontispiece figs. 2–3. Holotype USNM 707241, off SW coast of Tahuata, Marquesas Islands. Muricidae.

verae, *Naticarius* Rehder, 1947. The Nautilus 61(1):19, pl. 1, top figure. Holotype USNM 485562, Marco Beach, Marco Island, Collier County, Florida. Naticidae.

vermiculatus, *Naesiotus quitensis* Rehder, 1940. The Nautilus 53(4):117, pl. 13, figs. 17, 19. Holotype MCZ 64957, Agoyan (near Baños Tunguragua), Ecuador. Orthalicidae.

vestalis, *Crepitacella* Rehder, 1943. Proceedings of the United States National Museum 93(3161):194, pl. 20, fig. 13. Holotype USNM 411896, off Ajax Reef, Florida. Rissoidae.

vetula, *Arca* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:17, text-fig. 5, pl. 2, figs. 1–2, 5–6. Holotype USNM 495025, near Kaelepulu Pond, Oahu, Hawaii. Arcidae.

vitrea, *Dysmea* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:174, pl. 44, figs. 13–14. Holotype USNM 173001, off south coast of Molokai, Hawaii. Psammobiidae.

waikikia, *Limopsis* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:42, text-fig. 13, pl. 7, fig. 1. Holotype USNM 484219, off Waikiki, Oahu, Hawaii. Limopsidae.

waikikius, *Pecten* Dall, Bartsch and Rehder, 1938. Bernice P. Bishop Museum Bulletin 153:95, pl. 24, figs. 5–6. Holotype USNM 337523, off Waikiki, Oahu, Hawaii. Pectinidae.

wareni, *Vitreolina* Rehder, 1980. Smithsonian Contributions to Zoology 289:56, pl. 7, figs. 14–15. Holotype CAS 59676, Easter Island. Eulimidae.

williamsorum, *Teramachia johnsoni* Rehder, 1972. The Veliger 15(1):8, figs. 1–2, 4. Holotype USNM 707229, 30 miles south of Tung-Chiang, Taiwan. Volutidae.

wilsoni, *Astroharpa* Rehder, 1973. Indo-Pacific Mollusca 3(16):267, pl. 237, figs. 1–2. Holotype WAM 3670, NW of Rottnest Island, off Perth, Western Australia. Harpidae.

III. PUBLICATIONS OF HARALD A. REHDER

Harald A. Rehder authored 169 research papers and books over a span of 70 years (1924–1993). His first and last papers were in *The Nautilus*, a journal in which he published 55 articles. Dr. Rehder published in a broad spectrum of journals and molluscan newsletters on a wide variety of topics and taxa. While he came to be recognized as a gastropod systematist with a special interest in the families Harpidae (6 publications) and Volutidae (11 papers), Rehder began his career studying land and freshwater gastropods (20 publications). He also published on Polyplacophora, Bivalvia, Scaphopoda, and Cephalopoda, describing new taxa in each of these molluscan classes. Dr. Rehder devoted 35 publications to documenting the molluscan fauna of the tropical Pacific, and 44 papers to nomenclatural and bibliographic issues.

The following list of publications is arranged in chronological order, with dates of publication provided in square brackets [] when they could be determined. Dates of papers published in *The Nautilus* are from Coan and Harasewych (1993). Publications of the United States National Museum are dated according to Anonymous (1971).

Rehder, H. A. 1924 [15 January]. A list of mollusks from Intervale, N.H. [New Hampshire]. The Nautilus 37(3): 96–97.

Clench, W. J. and H. A. Rehder. 1930 [17 July]. A new *Humboldtiana* from Texas. The Nautilus 44(1):10–13, pl. 2, figs. 1–4.

Rehder, H. A. 1932a [9 April]. Two new Polygyras from northern Arkansas. The Nautilus 45(4):128–131, text-figs. 1–2, pl. 10.

Rehder, H. A. 1932b [9 April]. *Polygyra kiowaensis*. The Nautilus 45(4):141.

Rehder, H. A. 1933 [16 June]. A new *Succinea* from Florida. The Nautilus 47(1):20–21, pl. 3, fig. 4.

Rehder, H. A. 1935 [24 April]. New Caribbean marine shells. The Nautilus 48(4):127–130, pl. 7, figs. 7–12.

Rehder, H. A. 1936 [30 January]. The type of *Polygyra* Say. The Nautilus 49(3):102–103.

Aguayo, C. G. and H. A. Rehder. 1936 [13 January]. New marine mollusks from Cuba. Memorias de la Sociedad Cubana de Historia Natural 9(4):263–268, pl. 24, figs. 1–8.

Rehder, H. A. 1937a [4 May]. The type of *Amicula* Gray. The Nautilus 50(4):142.

Rehder, H. A. 1937b [4 May]. *Congeria leucophacata* (Con.) in the Hudson River. The Nautilus 50(4):143.

Rehder, H. A. 1937c [3 July]. *Rissoa bermudezi* Aguayo and Rehder. The Nautilus 51(1):35–36.

Rehder, H. A. 1937d [7 August]. Notes on the nomen-

- elature of the Trochidae. Proceedings of the Biological Society of Washington 50:115–116.
- Rehder, H. A. 1937e [23 September]. The genus *Xymorus* Gebler. The Journal of Conchology (London) 20(12):370.
- Dall, W. H., P. Bartsch and H. A. Rehder. 1938. [25 July] A manual of Recent and fossil marine pelecypod mollusks of the Hawaiian Islands. Bernice P. Bishop Museum Bulletin 153:1–233, pls. 1–58.
- Rehder, H. A. 1939a [15 April]. A new *Nenia* from Haiti and some notes on this genus. Journal of the Washington Academy of Science 29(4):171–173, figs. 1–7.
- Bartsch, P. and H. A. Rehder. 1939a [26 April]. Two new marine shells from the Aleutian Islands. The Nautilus 52(4):110–112, pl. 8, figs. 1–2.
- Bartsch, P. and H. A. Rehder. 1939b [13 June]. Mollusks collected on the Presidential Cruise of 1938. Smithsonian Miscellaneous Collections 98(10):1–18, pls. 1–5.
- Rehder, H. A. 1939b [21 July]. New marine mollusks from the West Atlantic. The Nautilus 53(1):16–21, pl. 6, figs. 1–14.
- Rehder, H. A. 1939c [21 July]. *Micrelenchus* versus *Gibbum*. The Nautilus 53(1):33–34.
- Rehder, H. A. 1939d [September]. Review of: Lichtig, Ignaz. 1938. Die Entstehung des Lebens durch stetige Schöpfung (The origin of life by constant creation). Noord-Hollandsche Uitgevers Maatschappij, Amsterdam. Journal of Paleontology 13(5):539–541.
- Bartsch, P. and H. A. Rehder. 1939c [15 September]. New turrid mollusks from Florida. Proceedings of the United States National Museum 87(3070):127–138, pl. 17, figs. 1–13.
- Rehder, H. A. 1940a [29 April]. New mollusks of the genus *Naesiotus* from Ecuador. The Nautilus 53(4):111–118, pl. 13, figs. 1–20.
- Bartsch, P. and H. A. Rehder. 1940 [29 April]. *Phlycticoncha*, new name for a subgenus of *Lyonsia*. The Nautilus 53(4):137.
- Rehder, H. A. 1940b [28 June]. On the molluscan genus *Trimusculus* Schmidt 1818, with notes on some Mediterranean and West African Siphonarias. Proceedings of the Biological Society of Washington 53:67–69.
- Rehder, H. A. 1940c [15 July]. A new urocoptid mollusk from Mexico. Journal of the Washington Academy of Science 30(7):315–316, figs. 1–3.
- Rehder, H. A. 1940d [2 November]. *Hyaloteuthis pelagicus* (Bose) in the North Pacific. The Nautilus 54(2):71–72.
- Rehder, H. A. 1940e [2 November]. Note on *Thericium auricoma* Schwengel and *stantoni* Dall. The Nautilus 54(2):72–73.
- Rehder, H. A. 1941a [5 May]. The type of *Neptunea "Bolten"* Röding [in part]. The Nautilus 54(4):126.
- Rehder, H. A. 1941b [5 May]. *Myrsus* H. and A. Adams 1858, the valid name for *Apolymetis* Salisbury 1929. The Nautilus 54(4):141–142.
- Rehder, H. A. 1941c [24 October]. Correction re *Myrsus* and *Apolymetis*. The Nautilus 55(2):64–65.
- Rehder, H. A. 1942a [12 January]. A new subspecies of *Naesiotus quitensis* from Ecuador. The Nautilus 55(3):103.
- Rehder, H. A. 1942b [May]. Geology and biology of North Atlantic deep-sea cores between Newfoundland and Ireland. Part 5, Mollusca. United States Department of the Interior, Geological Survey, Professional Paper 196-D:107–109, 1 pl. 9 figures.
- Rehder, H. A. 1942c [14 October]. A note on the genus *Anaplocamus* Dall. The Nautilus 56(2):49–50.
- Rehder, H. A. 1942d [14 October]. The genotype of *Neptunea*. The Nautilus 56(2):69.
- Rehder, H. A. 1942e [14 October]. *Dentalium (Antalis) pilosbyri*, new name. The Nautilus 56(2):69.
- Rehder, H. A. 1942f [15 November]. Some new land shells from Costa Rica and Panama. Journal of the Washington Academy of Science 32(11):350–352, figs. 1–19.
- Rehder, H. A. 1943a [20 January]. New marine mollusks from the Antillean Region. Proceedings of the United States National Museum 93(3161):187–203, pl. 19–20.
- Rehder, H. A. 1943b [16 June]. The mollusean genus *Trochita* Schumacher with a note on *Bicatillus* Swainson. Proceedings of the Biological Society of Washington 56:41–46, pl. 3.
- Rehder, H. A. 1943c [23 July]. Two new species of *Drymaeus* from Mexico. The Nautilus 57(1):28–29, pl. 6, figs. 6–10.
- Rehder, H. A. 1943d [23 July]. Corrections and ecological notes on some recently described Florida marine shells. The Nautilus 57(1):32–33.
- Bartsch, P. and H. A. Rehder. 1943a [1 October]. New cones from the Hawaiian Islands. Proceedings of the Biological Society of Washington 56:85–88.
- Bartsch, P. and H. A. Rehder. 1943b [30 October]. Notes on the names *Poteria*, *Ptychocochlis*, and *Aperostoma*. The Nautilus 57(2):62–64.
- Rehder, H. A. 1944a [9 February]. A new *Vitrinella* from Maryland. The Nautilus 57(3):97, pl. 9, figs. 1–2.
- Rehder, H. A. 1944b [9 February]. *Conus verrucosus vanhyningi*, new subspecies. The Nautilus 57(3):106.
- Rehder, H. A. 1944c [4 May]. A note on the names *Zozia* and *Azorinus*. Proceedings of the Malacological Society of London 26(1):22.

- Rehder, H. A. 1944d [24 November]. A new pectinid shell from the Pacific Ocean, with a note on the genus *Pallium* Schroeter. *The Nautilus* 58(2):52–54, pl. 2, figs. 1–2.
- Rehder, H. A. 1945a [21 March]. A new genus and species of squids from the Philippines. *Proceedings of the Biological Society of Washington* 58:21–26, pl. 3, figs. 1–2.
- Bartsch, P. and H. A. Rehder. 1945 [2 July]. The West Atlantic boring mollusks of the genus *Martesia*. *Smithsonian Miscellaneous Collections* 104(11):1–16, pl. 1–3.
- Rehder, H. A. 1945b [26 July]. On the status, under Article 25 of the International Code, of generic names where the genera concerned are founded upon figs. only. Z.N.(S.) 68. *Bulletin of Zoological Nomenclature* 1(5): 94–95.
- Rehder, H. A. 1945c [10 August]. The measurements of shells. *Mollusca* 1(6):73–77, figs. 1–3.
- Rehder, H. A. 1945d [6 September]. *Buccinum zebra* Müller, the type of *Orthalicus*. *The Nautilus* 59(1): 29–31.
- Rehder, H. A. 1945e [20 September]. Two new species of *Cirsotrema* (Epitonidae) from Florida. *Proceedings of the Biological Society of Washington* 58:127–130.
- Rehder, H. A. 1945f [27 December]. A note of the Bolten Catalogue. *The Nautilus* 59(2):50–52.
- Rehder, H. A. 1945g [27 December]. A note on *Megaspira elata* Gould. *The Nautilus* 59(2):67.
- Rehder, H. A. 1945h [27 December]. A note on *Volsella tulipa* (Lamarck). *The Nautilus* 59(2):67–68.
- Rehder, H. A. 1945i. The Chilean species of the molluscan genus *Peronaeus* (Bulimulidae). *Revista Chilena de Historia Natural* 48(1944):1–6.
- Bartsch, P., H. A. Rehder and B. E. Shields 1946 [30 January]. A bibliography and short biographical sketch of William Healey Dall. *Smithsonian Miscellaneous Collections* 104(15):1–95, 1 plate
- Rehder, H. A. 1946a [27 June]. Notes on some groups in the Muricidae of the West Atlantic, with descriptions of a new subgenus. *The Nautilus* 59(4):142–143.
- Rehder, H. A. 1946b [5 September]. Additional notes on the dates of publication of Les Fonds de la Mer. *Proceedings of the Malacological Society of London* 27(2): 74–75.
- Rehder, H. A. 1947a [28 February]. Proposed suspension of the *Règles* for the genotype of *Erycina* Lamarck, 1805 (Class Pelecypoda, Order Heterodontia). Z.N.(S.) 69. *Bulletin of Zoological Nomenclature* 1(9):221–222.
- Rehder, H. A. 1947b [14 July]. A new species of *Naticarius* from Florida. *The Nautilus* 61(1):19–20, pl. 1 (top figure).
- Rehder, H. A. 1947c [14 July]. *Cepaea nemoralis* in Boston. *The Nautilus* 61(1):35.
- Rehder, H. A. 1947d [18 December]. *Arion ater* (L.) in Oregon. *The Nautilus* 61(2):70.
- Rehder, H. A. 1949 [8 June]. Some land and freshwater mollusks from the coastal region of Virginia and North and South Carolina. *The Nautilus* 62(4):121–126.
- Rehder, H. A. and R. T. Abbott. 1951a [15 January]. Two new Recent cone shells from the Western Atlantic (Conidae). *Journal of the Washington Academy of Science* 41(1):22–24, figs. 1–7.
- Rehder, H. A. 1951a [9 October]. Comments and list of modern names, pp. 486–503. In: A. Julia Rogers. *The Shell Book; a Popular Guide to a Knowledge of the Families of Living Mollusks, and an Aid to the Identification of Shells Native and Foreign*. Revised edition, Boston: C.T. Branford, xxi + 503 pages, 8 pls.
- Rehder, H. A. and R. T. Abbott. 1951b [12 November]. Some new and interesting mollusks from the deeper waters of the Gulf of Mexico. *Revista de la Sociedad Malacologica "Carlos de la Torre"* 8(2):53–66, pl. 8–9.
- Rehder, H. A. 1952a [22 May]. Objection to M. Gilbert Ranson's application in regard to the generic name "Gryphaea" Lamarck, 1801 (Class Pelecypoda). Z.N.(S.) 365. *Bulletin of Zoological Nomenclature* 6(6):188–189.
- Rehder, H. A. 1952b [25 July]. Harold John Finlay, 1901–1951. *The Nautilus* 66(1):30–31.
- Rehder, H. A. and L. Forcart. 1952 [29 August]. On the generic names "Plotia" Röding, 1798, and "Pyramidella" Lamarck, 1799, and the proposed validation under plenary powers of the generic name "Pyramidella" Lamarck, 1799 (Class Gastropoda, Subclass Prosobranchia). Z.N.(S.) 651. *Bulletin of Zoological Nomenclature* 6(11):346–347.
- Rehder, H. A. 1952c [17 November]. The publication dates of Kobelt's "Illustriertes Conchylienbuch". *The Nautilus* 66(2):59–60.
- Rehder, H. A. 1953 [2 February]. The position of "Nesta" cincta (Lea). *The Nautilus* 66(3):95–96.
- Rehder, H. A. 1954. Mollusks, pp. 469–474. In: *Gulf of Mexico—its origin, waters, and marine life*. Fishery Bulletin of the Fish and Wildlife Service 89:1–604.
- Rehder, H. A. 1955a. A short history of the mollusk collection of the U.S. National Museum. Annual Reports of the Bulletin of the American Malacological Union for 1954:6.
- Rehder, H. A. 1955b [30 December]. The genus *Turcicula* Dall. *Proceedings of the Malacological Society of London* 31(5–6):222–225, pl. 12, figs. 1–9.
- Rehder, H. A. 1956 [May]. Review of: Perry, Louise M. and Jeanne S. Schwengel. 1955. *Marine shells of the*

- western coast of Florida. Paleontological Research Institution, Ithaca. The Scientific Monthly 82(5):272–273.
- Rehder, H. A. 1959a [September]. L'identité de l'Île Grimwood de Hugh Cuming. Bulletin de la Société des Études Océaniennes (Polynésie Orientale) 1(2–3):46–48.
- Rehder, H. A. 1959b [18 December]. Review of: Keen, A. Myra, 1958. Sea Shells of Tropical West American, Marine Mollusks from Lower California to Colombia. Stanford University Press, Stanford. Science, 130(3390):1704.
- Rehder, H. A. 1960 [1 January]. Marine zoogeography, with special reference to the South Pacific area. (Abstract). Annual Reports of the Bulletin of the American Malacological Union for 1959:9.
- Rehder, H. A. 1961a [11 January]. *Orthalicus* in the Cayman Islands. The Nautilus 74(3):122–123.
- Rehder, H. A. 1961b [Dated 1 January; correct publication date is in February]. Dr. Paul Bartsch 1871–1960. Annual Reports of the Bulletin of the American Malacological Union for 1960:4–6, portrait.
- Kellogg, R. and H. A. Rehder. 1961 [Dated 1 January; correct publication date is February]. Smithsonian Institution (USNM). Annual Reports of the Bulletin of the American Malacological Union for 1960:12.
- Rehder, H. A. 1961c. Report on malacological research in Antarctica, pp. 89–93. In: Science in Antarctica. Part I: The life sciences in Antarctica. National Academy of Sciences, Natural Resource Council Publication 839, 162 pp.
- Rehder, H. A. 1961d [14 July]. Obituary: Paul Bartsch. Journal of Conchology 25(1):41–43, portrait.
- Rehder, H. A. 1961e [10 November]. Comments on the proposal to place the generic name *Gari* Schumacher, 1817, on the Official List unemended. Z.N.(S.) 1461. Bulletin of Zoological Nomenclature 18(5):297–298.
- Rehder, H. A. 1962a [9 January]. The status of *Nucella* Roeding. The Nautilus 75(3):109–111, pl. 10, figs. 1–4.
- Rehder, H. A. 1962b [June]. The Pleistocene mollusks of Grand Cayman Island, with notes on the geology of the island. Journal of Paleontology 36(3):583–585.
- Rehder, H. A. 1962c [15 December]. Atoll news and comments: Polynesia. Atoll Research Bulletin 94:16.
- Rehder, H. A. 1963a [January]. Contribución al conocimiento de los moluscos marinos del Archipiélago de Los Roques y La Orchilla. Memoria de la Sociedad de Ciencias Naturales La Salle 22(62)(May–August 1962):116–138, 6 figs.
- Rehder, H. A. 1963b [26 April]. *Pisania* Bivona, 1832 (Mollusca: Gastropoda): its type species, and proposed addition to the Official List of Generic Names in Zoology. Z.N.(S.) 1521. Bulletin of Zoological Nomenclature 20(3):215–216.
- Rehder, H. A. 1964 [January]. Personality of the month—Harald A. Rehder. Hawaiian Shell News 12(3):4, photograph.
- Rehder, H. A. 1964 [March]. To Tahiti for mollusks. Hawaiian Shell News 12(5):4–5, map.
- Rehder, H. A. 1964 [April]. Notes on Hawaiian Muricidae. Hawaiian Shell News 12(6):4–5, 8 figs.
- Rehder, H. A. 1964 [May]. Marine mollusks of Polynesia—a research project. Hawaiian Shell News 12(7):6–7.
- Rehder, H. A. 1964 [August]. A further note on *Homalocantha*. Hawaiian Shell News 12(10):2.
- Rehder, H. A. 1964 [September] Dr. Rehder on Pacific tour. Hawaiian Shell News 12(11):6.
- Rehder, H. A. 1966a [June]. Through the Tuamotus to Pitcairn for mollusks. Part I. Hawaiian Shell News 14(8):1, 4–5, 1 figure.
- Rehder, H. A. 1966b [June]. Let us collect with moderation. Hawaiian Shell News 14(8):2.
- Rehder, H. A. 1966c [July]. Through the Tuamotus to Pitcairn for mollusks. Part II (Conclusion). Hawaiian Shell News 14(9):1–2, 1 figure.
- Rehder, H. A. 1966d [14 October]. Comment on the proposal to reject *Mitra perlata* (Röding), 1798 (Gastropoda). Z.N.(S.) 1726. Bulletin of Zoological Nomenclature 23(4):133.
- Rehder, H. A. 1966e [14 October]. Comment of the request for action on the name *Voluta mitra* Linnaeus, 1758 (Gastropoda). Z.N.(S.) 1728. Bulletin of Zoological Nomenclature 23(4):146.
- Rehder, H. A. 1966f [1 December]. The non-marine mollusks of Quintana Roo, Mexico, with the description of a new species of *Drymaeus* (Pulmonata: Bulimulidae). Proceedings of the Biological Society of Washington 79:273–296, figs. 1–20.
- Rehder, H. A. 1966g [December]. *Cypraea* in the Tubuai (Austral Islands). Hawaiian Shell News 14(14):2, 7.
- Rehder, H. A. 1967a [February]. Collecting mollusks in Tongatapu. Hawaiian Shell News 15(2):1, 7–8, 2 figs.
- Rehder, H. A. 1967b [21 March]. Valid zoological names of the Portland Catalogue. Proceedings of the United States National Museum 121(3579):1–51, 2 figures.
- Rehder, H. A. 1967c [12 April]. A new genus and two new species in the families Volutidae and Turbinellidae (Mollusca: Gastropoda) from the Western Pacific. Pacific Science 21(2):182–187, 11 figures.
- Rehder, H. A. 1967d [June]. Review of: Morris, Percy A. 1966. A field guide to shells of the Pacific Coast and Hawaii including shells of the Gulf of California. Houghton-Mifflin, New York. Atlantic Naturalist 22(2):145–146.
- Rehder, H. A. 1968 [27 December]. The marine mol-

- luscan fauna of the Marquesas Islands. Annual Reports of the American Malacological Union for 1968:29–32.
- Rehder, H. A. 1969a [1 January]. *Volutocorbis* and *Fusivoluta*, two genera of deepwater Volutidae from South Africa. The Veliger 11(3):200–209, pls. 40–43.
- Rehder, H. A. 1969b [January]. New species and subgenera of Volutidae (Fulgorariinae) from the South China Sea and Japan, Venus. The Japanese Journal of Malacology 27(4):127–132, pl. 7, figs. 1–7.
- Rehder, H. A. 1969c [25 November]. Ditlev Thaanum, 1867–1963, a memorial sketch. Occasional Papers of the Bernice P. Bishop Museum 24(3):27–45, 5 figs.
- Rehder, H. A. 1969. Preface, p. 1 and Appendix, pp. 97–101, pls. 42–45. In: Afshar, F. (ed.) Taxonomic revision of the superspecific groups of the Cretaceous and Cenozoic Tellinidae. Geological Society of America Memoir 119, 215 pages, 45 pls.
- Rehder, H. A. 1970a [1 April]. Supplementary comments on deep water Volutidae from the South China Sea and South Africa. The Veliger 12(4):415–416, pl. 61, figs. 1–6.
- Rehder, H. A. 1970b [5 June]. Application to fix the name of the type-species of the genus *Ampulla* Röding, 1798 (olim *Halia* Risso, 1826) (Gastropoda: Volutidae). Z.N.(S.) 1804. Bulletin of Zoological Nomenclature 27(1):41–43.
- Rehder, H. A. 1970c [10 August]. Comment on the request for validation of *Murex lotorium* Linnaeus, 1758 (Gastropoda) in its accustomed sense. Z.N.(S.) 1886. Bulletin of Zoological Nomenclature 27(2):67.
- Rehder, H. A. 1971a [9 February]. A molluscan faunule from 200 meters off Valparaiso, Chile, with descriptions of four new species. Proceedings of the Biological Society of Washington 83(51):585–595, figs. 1–8.
- Rehder, H. A. 1971b. Malacological expedition to the tropical South Pacific. National Geographic Society Research Reports, 1965 Projects:213–218.
- Rehder, H. A. 1972a [1 May]. Comment on proposal to remove homonymy of Cassididae and Harpidae in Mollusca and Arthropoda. Z.N.(S.) 1938. Bulletin of Zoological Nomenclature 29(1):2.
- Rehder, H. A. 1972b [1 July]. Some notes on the genus *Taramachia* (Volutidae: Calliotectinae). The Veliger 15(1):7–10, figs. 1–7.
- Rehder, H. A. 1972c [1 July]. Further comments on deepwater Volutidae from off Southeast Africa, with descriptions of two new species of *Volutocorbis*. The Veliger 15(1):11–14, figs. 1–9.
- Rehder, H. A. and H. S. Ladd. 1973 [25 February]. Deep and shallow-water mollusks from the central Pacific. Science Reports of the Tohoku University (ser. 2, Geology), special volume 6:37–49, 2 text-figures, pl. 3, figs. 1–18.
- Rehder, H. A. 1973a [6 July]. Comment on the proposals concerning family names Cassidae and Harpidae. Z.N.(S.) 1938. Bulletin of Zoological Nomenclature 30(1):3.
- Rehder, H. A. 1973b [6 July]. *Nipponaphera* Habe, 1961 (Gastropoda): proposed designation of the type-species under the plenary powers. Z.N.(S.) 2007. Bulletin of Zoological Nomenclature 30(1):37–38.
- Rehder, H. A. 1973c [20 July]. Preface, p. iii and Paul Bartsch, 1871–1960, pp. 1–9. In: Ruhoff, F. A. Bibliography and zoological taxa of Paul Bartsch. Smithsonian Contributions to Zoology 143:1–166.
- Rehder, H. A. 1973d [10 October]. Comments on the problem of the type species of *Lucina* (Mollusca: Pelecypoda). Z.N.(S.) 2001. Bulletin of Zoological Nomenclature 30(2):71–73.
- Rehder, H. A. 1973e [27 November]. The family Harpidae of the world. Indo-Pacific Mollusca 3(16):207–274, 65 pls.
- Rehder, H. A. and C. S. Weaver. 1974 [30 April]. A new species of *Volutocorbis* from South Africa. The Nautilus 88(2):31–32, figs. 1–8.
- Rehder, H. A. 1974a [30 April]. On the genus *Volutocorbis* with descriptions of two new species from South Africa. The Nautilus 88(2):33–37, figs. 1–8.
- Rehder, H. A. 1974b [31 July]. Comment on the request for the designation of a type-species of *Tutufa* Jousseaume, 1881. Z.N.(S.) 2021. Bulletin of Zoological Nomenclature 31(1):11–12.
- Rehder, H. A. 1974c [11 September]. Marine biological research in southeastern Polynesia. National Geographic Society Research Reports, 1967 Projects:243–254, 5 figs.
- Rehder, H. A. 1974d. Mollusca, pp. 209–214. In: Bryan, E. H., Jr. (ed.) Panala'au Memoirs. Pacific Science Information Center, Bernice P. Bishop Museum, Honolulu.
- Rehder, H. A. and J. E. Randall. 1975 [15 January]. Ducie Atoll: Its history, physiography and biota. Atoll Research Bulletin 183, 40 pages, 29 figs.
- Rehder, H. A. 1975a [17 July]. Corrections to recent papers on new species of *Volutocorbis* from South Africa. The Nautilus 89(3):79.
- Rehder, H. A. 1975b [22 September]. Comment on the request for a ruling on the authorship of *Conus moluccensis*. Z.N.(S.) 2059. Bulletin of Zoological Nomenclature 32(3):133–134.
- Rehder, H. A. 1975c [22 September]. Proposed amendment to Opinion 740: correction of name number 2087 on the Official List of Specific Names in Zoology. Z.N.(S.) 1521. Bulletin of Zoological Nomenclature 32(3):143.
- Rehder, H. A. and B. R. Wilson. 1975 [19 December].

- New species of marine mollusks from Pitcairn Island and the Marquesas. Smithsonian Contributions to Zoology 203:1–16, 10 text-figures, 1 color plate, figs. 1–13.
- Rehder, H. A. 1976 [December]. Mollusca, pp. 70–73. In: Amerson, A. B., Jr. and P. C. Shelton (eds.) The natural history of Johnston Atoll, central Pacific Ocean. Atoll Research Bulletin 192, 479 pp.
- Rehder, H. A. 1977a [February]. Collecting mollusks in Tongatapu. The Mollusk; South Florida Shell Club 15(2): 5–6. [Edited and abbreviated version of Rehder, 1967a]
- Rehder, H. A. 1977b. Molluscs (excluding scallops), pp. 14–15, pl. 3. In: Carney, J. N. (ed.) Offshore dredging, South Santo [New Hebrides]. Annual Report of the New Hebrides Condominium Geological Survey for the Year 1975.
- Rehder, H. A. 1978a [February]. Comments on the proposed designation of a type-species for *Pleurocera* Rafinesque, 1818. Z.N.(S.) 83. Bulletin of Zoological Nomenclature 34(4):198.
- Rehder, H. A. 1978b [May]. The coral route. Pacific Islands Monthly, 49(5):8–9.
- Rehder, H. A. 1980a [19 June]. Note on Cernohorsky's application for the use of the plenary powers to designate a type-species for the genus *Drupella* Thiele, 1925. Bulletin of Zoological Nomenclature 37(2):86–87.
- Rehder, H. A. 1980b [5 August]. The marine mollusks of Easter Island (Isla de Pascua) and Sala y Gómez. Smithsonian Contributions to Zoology 289:1–167, 15 text-figures, 14 pls.
- Rehder, H. A. 1981a. Mollusks (Consulting Editor), pp. 557–619, pls. 94–108. In: Complete Field Guide to North American Wildlife; Eastern Edition. New York: Harper & Row Publishers, 714 pp.
- Rehder, H. A. 1981b [July]. The Audubon Society Field Guide to North American Seashells. New York: Alfred A. Knopf, 894 pp., 705 figs.
- Rehder, H. A. 1981c [29 October]. A new species of *Volutocorbis* (Volutidae) from Somalia. The Nautilus 95(4):169–170, figs. 1–5.
- Rehder, H. A. 1982a [May]. A note on *Colubraria sowerbyi* (Reeve) and a comment on "Notopeplum translucidum?" Hawaiian Shell News 30(5):5.
- Rehder, H. A. 1982b. Marine mollusks of some island groups of Polynesia. National Geographic Society Research Reports 14:541–548.
- Rehder, H. A. 1983a [December]. A revised list of the marine mollusks of Henderson Island, pp. 34–39. In: Fosberg, F. R., M.-H. Sachet, and D. R. Stoddard (eds.) Henderson Island (southern Polynesia): summary of current knowledge. Atoll Research Bulletin 272, 47 pp., 12 pls.
- Rehder, H. A. 1983b [December]. Marine Mollusca, pp. 18–20. In: Sachet, M.-H. (ed.) Natural history of Mopelia Atoll, Society Islands. Atoll Research Bulletin 274, 37 pp., 30 figs.
- Rehder, H. A. 1984a [1 April]. *Cypraea thomasi* Crosse: a valid species. Hawaiian Shell News 32(4):1, 8, figs. 1–13.
- Rehder, H. A. 1984b [27 April]. The genus *Brondelia* Bourguignat, 1862, and its taxonomic position (Gastropoda: Siphonariidae). The Nautilus 98(2):83–84.
- Rehder, H. A. 1984c [April]. *Cypraea thomasi* Crosse: a valid species. Levantina: A Malacological Newsletter 49: 563–565. [Reprint of Rehder (1984a)]
- Rehder, H. A. 1984d [23 August]. *Williamia Monterosato*, 1884 (Mollusca, Gastropoda): proposed conservation. Z.N.(S.) 2237. Bulletin of Zoological Nomenclature 41(3):159–162.
- Rehder, H. A. 1985 [31 October]. A new species of *Coralliphila* (Gastropoda: Coralliophilidae) from southeastern Polynesia. The Nautilus 99(4):97–100, 4 figs.
- Rehder, H. A. 1986a [31 January]. Joseph Rosewater (1928–1985), a tribute and bibliography. The Nautilus 100(1):9–13, 1 figure.
- Rehder, H. A. 1986b [31 January]. *Natica (Glyphepithema) bayeri*, new name. The Nautilus 100(1): 38.
- Rehder, H. A. 1986c [30 July]. *Natica (Glyphepithema) tedbayeri*, a replacement name. The Nautilus 100(3): 112.
- Rehder, H. A. 1986d [July]. *Cypraea thomasi* Crosse revalidated. Hawaiian Shell News 34(7):12, 9 figs. [Incorrectly published as vol. 35, no. 6].
- Rehder, H. A. 1986e [August]. [*Lyria kimberi* Cotton, 1932] in Shell Letters. Hawaiian Shell News, 34(8):7 [Incorrectly published as vol. 35, no. 7].
- Rehder, H. A. 1986f [September]. *Nerita picea*—again. Hawaiian Shell News 34(9):6, 1 fig. [Incorrectly published as vol. 35, no. 9].
- Rehder, H. A. 1987a. [11 June] Obituary. Joseph P.E. Morrison, December 19, 1906–December 2, 1983. Malacological Review, 19(1986):121–122, 1 fig.
- Rehder, H. A. 1987b. [11 June] Obituary. Joseph Rosewater, September 18, 1928–March 22, 1985. Malacological Review, 19(1986):125–126, 1 fig.
- Rehder, H. A. and R. E. Petit. 1987 [23 March]. *Harpa articularis* Lamarck, 1822 (Mollusca, Gastropoda): proposed conservation of the specific name. [Case 2563]. Bulletin of Zoological Nomenclature 44(1):19–20.
- Rehder, H. A. 1988. The Audubon Society Pocket Guide to Familiar Seashells of North America. Knopf, New York, 192 pp.
- Rehder, H. A. 1990a [18 April]. Clarification of the iden-

ity of the snail *Margarites groenlandicus* (Gmelin, 1791) (Gastropoda: Trochidae). The Nautilus 103(4):117–123, 13 figs.

Rehder, H. A. 1990b. The World of Nature: Seashells. Gallery Books, W.H. Smith Publishers, New York. 64 pp.

Rehder, H. A. 1992 [21 August]. *Harpa cabriti* Fischer, 1860, a replacement name for *Harpa ventricosa* Lamarck, 1816 (Gastropoda: Harpidae). The Nautilus 106(3):123–124, 1 figure.

Rehder, H. A. 1993 [5 February]. A new species of *Harpa* from the Leeward Islands of Hawaii. The Nautilus 106(4):127–129, figs. 1–2.

At the time of his death, Dr. Rehder was working on a paper recounting the history of the Division of Mollusks at the National Museum of Natural History, Smithsonian Institution.

ACKNOWLEDGMENTS

We are grateful to Richard Johnson, James H. McLean, Clyde F. E. Roper, and to William Cox and Pamela M. Henson of the Office of Smithsonian Institution Ar-

chives, for kindly providing photographs, correspondence and notes on various aspects of Dr. Rehder's life and works. We also thank Richard E. Petit and Ellis Yochelson for their comments on this manuscript.

LITERATURE CITED

- Anonymous, 1971. Publications of the United States National Museum (1947–1970). Bulletin 298 (final volume in series). Smithsonian Institution Press, Washington DC. 77 pp.
- Coan, E. V. and M. G. Harasewych. 1993. Publication Dates of *The Nautilus*. The Nautilus 106(4):174–180.
- Harasewych, M. G. and Y. I. Kantor. 1991. Rediscovery of *Marginellona gigas* (Martens, 1904), with notes on the anatomy and systematic position of the subfamily Marginelloninae (Gastropoda: Marginellidae). Nemouria 37:1–19.
- Petit, R. E. and R. Bieler. 1996. On the new names introduced in the various printings of "Shells of the world in color" [Vol. I by Tadashige Habe and Kiyoshi Ito; Vol. II by Tadashige Habe and Sadao Kosuge]. Malacologia 38(1–2):35–46.
- Turner, R. D. 1966. A survey and illustrated catalogue of the Teredinidae (Mollusea: Bivalvia). Museum of Comparative Zoology, Cambridge, 265 pp.

In Memoriam

Constance E. Boone

December 3, 1917

—

September 13, 1999